1970 AUTHORS INDEX

Asterisk indicates abstract

Abe, K.
See Murayama, H.
Adams, R., Braun, E. J., Finney, C. and Jansen, C. Color-coded scintiphotos, 380*
Adams, R. See Jansen, C.
Adatepe, M. See Hill, T.
Africa, B. Development of a radioimmunoassay for aldosterone, 646
Akasaka, K. See Takahashi, Y.
Alexander, C. See Marsden, D. S.
Allen, H. C. See Dizon, M.
See McMullen, F. F.
Allen, J. E. See Duszynski, D. O.
Allen, J. H. See Johnston, R. E.
See Staab, E. V.
Amman, W. See Schneck, P.
Ammerman, E. G. See Usher, M. S.
Anderson, J. I. Computerized helical scanning, 296*
Anderson, L. G. See Schall, G. L.
Anderson, N. D. See Wagner, H. N.
Anderson, W. B. See Kennady, J. C.
Anger, H. O. See Volpe, J. A. See Winchell, H. S. See Yano, Y.
Anger, R. T. See Sodd, V. J.
Anghileri, L. J. Tumor uptake of ^{51}Cr-complexes, 380*
Anghileri, L. J., Lee, J. I. and Miller, E. S. ^{99m}Tc labeling of erythrocytes, 530
Anghileri, L. J. and Miller, E. S. Distribution of various phosphates, 381*
Antar, A. See Antar, M. A.
Antar, M. A., Antar, A. and Spencer, R. P. Effect of radioiodide therapy, 381*
Antar, M. A., Freedman, G. S., Cornelius, E. A. and Spencer, R. P. Intracardiac and intravascular deposition of MAA, 381*
Antar, M. A., Spencer, R. P., Lange, R. C. and Kligerman, M. M. Effects of focal radiation on liver function, 296*
Antar, M. A. See Spencer, R. P.
Antunez, A. R., Carlson, R. W. and Chernak, E. S. A new gamma imaging device, 617*
Aoyagi, T. See Sasaki, Y.
Arborelius, M. See Bruno, F. P.
Arimizu, N. Kahehi, H. and Saegusa, K. Producing simultaneous section scintigrams of multiple layers, 617*
Arnold, J. S. See Prince, J. R.
Aronson, S. See Fish, M. B.
Arras, J. M. See Battist, L.
Ashburn, W. L., Braunwald, E., Simon, A. L. and Gault, J. N. Myocardial perfusion imaging in man using ^{99m}Tc-MAA, 617*
Ashburn, W. L. and McDonald, D. G. Malignant lymphoma with ^{75}Se-selenomethionine and ^{131}I-MAA, 92
Ashburn, W. L., Moser, K. M. and Guisan, M. Digital and analog processing of Anger camera data, 680
Ashburn, W. L. See Harbert, J. C.
Ashkar, F S., Miller, R. and Gilson, A. J. Serum thyroxin in thyroid storm, 297*
Ashkar, F. S., Miller, R. and Smoak, W. M. Serum thyroxine levels, 618*
Ashkar, F. S. See Sekso, S. L.
See Weinstein, M. B.
Atkins, H. L., Eckelman, W. C., Hauser, W. and Richards, P. Pertechnetate uptake in Hashimoto's thyroiditis, 382*
Atkins, H. L., Hauser, W. and Richards, P. Thyroid studies with pertechnetate, 297*
Atkins, N.
See Eckelman, W.
See Hayte, R.
Avis, K. E. See Friedman, B. I.

Bailey, M. See Gibbs, W. D.
Baker, S. L., Gusmano, E. A., Smith, T. O., Murty, O. R. C. and Bruno, G. A. Retention of ^{113m}In-^{59}Fe ferric hydroxide in the mouse, 618*
Baltz, R. See Chang, J. C.
Banerji, M. A. See Spencer, R. P.
Banever, C. See Spencer, R. P.
Barboriak, J. J. See Meade, R. C.
Bardfeld, P. A., Rudin, S. and Sherman, A. A. Measurement of radiation dose using TLD, 618*
Bardfeld, P. A., Shulman, K., Carter, T. and Levine, J. Selective irradiation of the choroid plexus with $^{186}ReO_4$, 619*
Bardfeld, P. A. See Rudin, S.
See Sherman, A. A.
Barkan, C. See Czerniak, P.
Barnes, B. D. See Fish, M. B.
Barnett, H. D. and Harris, C. C. Reducing exposure from ^{99m}Tc generator, 180
Battist, L., Schadt, W. W. and Arras, J. M. Radioactive contaminants in ^{99m}Tc generators, 619*
Baum, S. Brain tumor autoradiography, 298*
Baum, S. and Girolamo, R. Distinguishing between neoplastic and non-neoplastic lesions, 620*
Bayless, T. M. See Sasaki, Y.
Beattie, J. W. See Monahan, W. G.
Beck, R. N.
See Harper, P. V.
See Hoffer, P. B.
See Lembares, N.
Becker, D. V. See Sigel, R. M.
Beckman, F. See Harper, P. V.
Beierwaltes, W. H.
See Blair, R. J.
See Boyd, C. M.
See Lieberman, L. M.
See Quinones, J. D.
See Varma, V. M.
Bell, E. G., Sandler, M., Berg, B. C., Duxbury, C. E. and McAfee, J. G. Selective obstruction of renal microvasculature with microspheres, 298*
Bell, E. G., Subramanian, G., McAfee, J. G. and Ross, G. S. Cisternography with ^{99m}Tc-inulin, 299*
Bell, E. G. See Sandler, M.
Bell, R. L. IHSA cisternography in patients with mental deterioration, 299*
Bell, R. L. and DeNardo, G. L. Enhanced scintigraphic information display, 655
Benak, S. B. See Price, D. C.
Bender, M. A. and Hays, M. T. Intracardiac hemodynamics, 300*
Ben-Haim, D. See Czerniak, P.
Benjamin, P. P. Incorporation of $^{99m}TcO_4^-$ into proteins, 300*
Benjamin, P. P. ^{99m}Tc-HSA preparation by electrolysis, 49
Benjamin, P. P., Rejali, A. and Friedell, H. Electrolytic complexation of ^{99m}Tc, 147
Bennett, K. R. See Smith, R. O.
Bennett, L. R. See Douglas, C. H.
See Perez, S. F.
See Wagner, M. S.
See Webber, M. M.
Ben-Porath, M., Feige, Y., Lubin, E. and Levitus, S. Microdosimetry of ^{125}I in the thyroid follicle, 300*
Ben-Porath, M. See Lubin, E.
Benua, R. S. Brain scan in eosinphilic granuloma of the skull, 89
Berg, B. C., Subramanian, G. and McAfee, J. G. Clinical evaluation of ^{99m}Tc-iron ascorbic acid complex, 301*
Berg, B. C. See Bell, E. G. See Sandler, M.
Bergstrom, T. J. See Boyd, C. M. See Lieberman, L. M.
Bering, N. M., DeFries, C. and Reid, J. M. Quality-control program, 406*
Bering, N. M. See Hunter, O. B.
Bernard, J. D., McDonald, R. A. and Nesmith, J. A. New normal ranges for radioiodine uptake studies, 449
Best, C. N. and Peachey, J. A. ^{113m}In-DTPA renal function test, 620*
Bester, J. See van der Merwe, E. J.
Bikerman, V. See Tyson, I.
Binder, H. J. See Spencer, R. P.
Binopoulos, D. See Kostamis, P.
Blahd, W. H. and Hays, M. T. Treatment of hyperthyroidism with ^{131}I, 382*
Blahd, W. H. See Krishnamurthy, G. T. See Weiss, E. R.

Blair, R. J., Beierwaltes, W. H., Lieberman, L. M., Boyd, C. M., Varma, V. M., Counsell, R. E. and Weinhold, P. A. Adrenal scintiscanning with cholesterol, 302*
Blau, L. M. and Cahill, P. T. Intraplanar algorithm for 3-D scintimetry, 621*
Blau, L. M. See Cahill, P.
Blau, M. Mercury blocking doses in brain scans, 769
Blau, M. See Lathrop, K. A. See Sharma, S. M.
Blaufox, M. D., Gruskin, A. B., Sandler, P., Ogwo, J. E., Goldman, H. S. and Edelmann, C. M. Ureteral-vesical reflux in children, 621*
Blaufox, M. D. See Freeman, L. M. See Strauss, B. S.
Bloomer, K. L. ^{87m}Sr bone scanning, 406*
Blue, J. W. See Sodd, V. J.
Blum, M. and George, A. Lateral view in liver scanning, 753
Bonte, F. J. and Christensen, E. E. Regional myocardial blood flow, 302*
Bonte, F. J., Graham, K. D. and Dowdey, J. H. Image aberrations produced by a diverging collimator, 622*
Bonte, F. J. See Taylor, H. F.
Borne, B. Fecal blood loss using ^{51}Cr-RBC, 407*
Boruchowski, S. See Czerniak, P.
Botti, R. E. See Razzak, M. A.
Bourdoiseau, M. See Rhodes, B. A.
Boyd, C. M., Beierwaltes, W. H., Lieberman, L. M. and Bergstrom, T. J. Diagnosis of ocular melanomas, 303*
Boyd, C. M., Lieberman, L. M., Beierwaltes, W. H. and Varma, V. M. Diagnostic efficacy of radioiodinated chloroquine analog, 479
Boyd, C. M.
See Blair, R. J.
See Lieberman, L. M.
See Varma, V. M.
Boyd, M. See Friedman, B. I.
Boyd, R. E. ^{99m}Tc-macroaggregated ferrous hydroxide preparation, 517
Brady, L. W. See Lam, S.
See Honda, T.
Brahmavar, S. M., Groves, R. B., Staab, E. V. and Brill, A. B. Optimization of data in lung and brain scans, 303*
Brashear, R. E. See Mishkin, F. S.
Braun, E. J. See Adams, R.
Braunwald, E. See Ashburn, W. L.
Brill, A. B.
See Brahmavar, S. M.
See Erickson, J. J.
See Johnston, R. E.
See McFarland, J.
See Patton, J. A.
See Staab, E. V.
See Watts, J. R.
Briner, W. See Schall, G. L.
Britton, K. E. and Brown, N. J. G. New solution to the renography problem, 383*
Britton, K. E. See Brown, N. J. G.
Broadbent, J. C. See Tauxe, W. N.
Brody, J. S. See Klempfner, G.
Brookeman, V. A. and Williams, C. M. Evaluation of ^{99m}Tc-DTPA for brain scanning, 728
Brookeman, V. A. See Bruno, F. P.
Brown, D. W., DiLorenzo, P. A., Walker, S. H., Dern, P. L. and Brown, D. W., Groome, D. S., Cleaveland, J. D., Trow, R. S. and Lee, J. I. Laboratory computer system, 203
Brown, D. W. and Kirch, D. L. Computer processing of scans, 304*
Brown, D. W. See Kirch, D. L. See Niehoff, R. D.
Brown, H. J. See Clark, F.
Brown, N. J. G. and Britton, K. E. Intrarenal transit time, 305*
Brown, N. J. G. See Britton, K. E.
Brown, R. See Freedman, G. S.
Bruno, F. P., Brookeman, V. A., Arborelius, M. and Williams, C. M. ^{99m}Tc-iron hydroxide aggregates for lung scanning, 134
Bruno, F. P., Morrison, L. M., Mauderli, W. and Williams, C. M. Computer-generated correction of nonuniform detector response, 622*
Bruno, G. A. See Baker, S. L.
See Fitzgerald, L. T.
Buchanan, D. L. Hydraulic positioning bed, 265
Buchanan, J. W. See Rhodes, B. A.
Budinger, T. F. See Yano, Y.
Buffaloe, T. S. See Harris, C. C. See Jones, R. H.
Bulgin, M. S. See Goldman, M.
Burdine, J. A., Sonnemaker, R. E., Calderon, M., Ryder, L. A. and Spjut, H. J. Albumin microspheres for perfusion studies, 305*
Burke, G. See Silverstein, G. E. See Halko, A.
Burrows, B. A. Editor's letter, 521
See Farmelant, M. H.
See Tyson, I.
See Podolsky, S.
Byrd, B. L. See Hayes, R. L.

Cahill, P. and Blau, L. M. Matrix inversion method for radionuclide scanning, 613
Cahill, P. See Blau, L. M.
Calderon, M. See Burdine, J. A.
Cameron, J. R. See Mazess, R. B.
Campbell, A. S. See Levin, R. M.
Cardarelli, J. A. See Genna, S. See Podolsky, S.
Carey, J. E. See Thomas, F. D.
Cargol, L. H. See Williams, J. L.
Carlson, J. C. Data processing with a computer-camera system, 306*
Carlson, J. C. Dynamic studies using a computer-camera system, 306*
Carlson, R. W. See Antunez, A. R.
Carlton, J. E. See Hayes, R. L.
Carroll, R. G. Simple, low-cost approach to clinical ^{133}Xe studies, 383*
Carter, C. C. See Holman, B. L.
Carter, T. See Bardfeld, P. A.
Cassen, B. Correction of time-constant distortion, 384*
Cassen, B. See Oldendorf, W. See Sissen, W. B.
Castronovo, F. P. and Wagner, H. N. Factors affecting the toxicity of indium, 307*
Castronovo, F. P. See Wagner, H. N.
Catz, B. See Lima, J. B.
Cavalieri, R. See Ray, G. R.
Chang, J. C., Jackson, G. L. and Baltz, R. Cisternography in Sturge-Weber syndrome, 551
Charleston, D. B.
See Harper, P. V.
See Hoffer, P. B.
Charleston, D. B. See Kawana, M.
Chaudhuri, T. K. Diminished oxidation of ^{14}C-UL-L-asparagine to $^{14}CO_2$ in mice and humans with tumors, 646*
Chaudhuri, T. K., Go, R., Van Roekel, G. W. and Christie, J. H. Fissure sign in lung scintigram, 623*
Chaudhuri, T. K. and Winchell, H. S. Assessing efficacy of therapy, 597
Chaudhuri, T. K. and Winchell, H. S. Oxidation of asparagine in mice and humans with tumors, 307*
See Fitzgerald L. T.
Chen, J. See Wagner, H. N.
Chernak, E. S. See Antunez, A. R.
Chernelch, M., Fawwaz, R., Sargent, T. and Winchell, H. S. Iron absorption from colon, 25
Chopra, I., Chopra, U., Solomon, D. H. and Johnson, D. E. Comparison of thyroid handling of ^{131}I- and $^{99m}TcO_4^-$, 307*
Chopra, I., Chopra, U., Solomon, D. H. and Johnson, D. E. Thyroid uptake (20-min) in Graves' disease, 623*
Chopra, U.
See Chopra, I.
See Ramanathan, P.
Christensen, E. E. See Bonte, F. J.
Christie, J. H. See Chaudhuri, T. K.
Christman, D. R., Hoyte, R. M. and Wolf, A. P. Labeled organic radiopharmaceuticals, 474
Christman, D. R. See Hoyte, R.
Christopher, N. L. See Sasaki, Y.
Chu, P. See Yano, Y.
Clark, F., Brown, H. J. and Grötte, G. J. ^{131}I-labeled thyroid hormones, 165
Clark, J. C. See Jones, T.
Clarke, L. P., Laughlin, J. S. and Mayer, K. Collimator design for quantitative organ measurement, 384*
Clayton, G. D. See Cooke, M. B. D.
Cleaveland, J. D. See Brown, D. W.
Clowdus, B., Martinez, C. and Kaplan, E. Portal hypertension caused

by inflow overload complicating myelogenous leukemia, 385*
Cluxton, S. E. See Distefano, R. M.
See Nuland, S. B.
Coberly, J. C. See Dratz, A. F.
Coen, L. See Prince, J. R.
Cohen, M. B. ^{99m}Tc-erythrocyte preparation, 767
Cohen, M. B. and Lorber, A. Reliability and accuracy of joint scanning agents, 308*
Cohen, T. D. See Corriere, J. N.
Cohn, S. H. and Dombrowski, C. S. Whole-body potassium, 239
Contantinides, C. See Kostamis, P.
Cook, D. J. and Lander, H. Inhalation bronchography using nebulized $^{99m}TcO_4^-$, 309*
Cooke, M. B. D., Clayton, G. D. and Kaplan, E. Scanning scintillation camera, 309*
Coons, A. See Fish, M. B.
Cooper, J. F., Levin, J. and Wagner, H. N. Rapid *In vitro* test for pyrogen, 310*
Cooper, J. F. See Rhodes, B. A.
Cooper, M., Hurley, P., Reba, R., Poggenberg, K. and Wagner, H. N. Myocardial scanning with ^{43}K, 310*
Cooper, P. H. See Lerner, S. R. See Pircher, F. J.
Coppler, M., Kovaleski, B., Sherry, J., Sheppard, H. and Franco, J. Evaluation of Res-O-Mat T*4, 407*
Coppler, M. See Franco, J. See Kovaleski, B.
Cordes, F. and McCormack, K. Urinary bladder residual, 408*
Corman, L. A., Flickinger, F. W., Sokoloff, J. and Nodine, J. H. Xenon tissue clearance for measuring peripheral blood flow, 233
Cornelius, E. A. Animal models of protein-losing enteropathy, 311*
Cornelius, E. A.
See Antar, M. A.
See Freedman, G. S.
See Pearson, H. A.
See Spencer, R. P.
Cornell, R. See Saba, T.
See Nuland, S. B.
Corriere, J. N., Sanders, T. P., Cohen, T. D., Lipshultz, L. I. and Kuhl, D. E. Urinary particle scan in uretero-vesical reflux, 311*
Costeas, A., Woodard, H. Q. and Laughlin, J. S. ^{18}F depletion from blood flowing through bone, 43
Counsell, R. E. See Blair, R. J.
Cox, S. C. Slide holder for autoradiography, 49
Cragin, M. D., Webber, M. M., Victery, W. K. and Pintauro, D. Preparation of ^{99m}Tc-sulfur-albumin for lung scanning, 385*
Cragin, M. D. See Webber, M. M.
Crews, M. C., Westerman, B. R. and Quinn, J. L. Solvent extraction of $^{99m}TcO_4^-$, 386*
Crofford, W. M. See Dunson, G. L.
Croll, M. N. See Honda, T.
Cuarón, A. Increase in PBI caused by LT_3, 270
Cuarón, A. and Gordon, F. Scanning in amebic hepatic abscesses, 435
Cycowski, C. B. See Kirch, D. L.
Czerniak, P., Barkan, C., Frankel, O. and Sinkover, A. Tumor activity test for cancer chemotherapy, 312*
Czerniak, P., Ben-Haim, D. and Eilan, A. Zinc in the brain, 312*
Czerniak, P., Man, B., Jankelevicz, D., Boruchowski, S. and Hering, A. Metabolic changes after jejunocecal anastomosis for obesity, 312*
Dallemand, S. See Marsden, D. S.
Damm, D. W. and Wolff, J. Radiation exposure to personnel handling ^{99m}Tc, 408*
Danielsen, A. and Steinnes, E. Trace elements measured by activation analysis, 260
Danigelis, J. A. and O'Mara, R. E. Distribution of $^{18}F^-$ at fracture sites, 313*
Danigelis, J. A. See O'Mara, R. E.
Dare, J. G., Kulberg, G. H. and Hunter, W. W. Collimation for a scintillation camera, 624*
Davidson, J. C. See Dunson, G. L.
Davidson, J. D. See Harbert, J. C.
Davis, M. A. ^{99m}Tc-iron hydroxide macroaggregates, 313*
Davis, R. P. See Lawrence, C. A.
De Fries, C. See Bering, N. M.
De Grazia, J. A., MacLaury, M., Hofmann, W. W., Ryan, R., Fish, M. B. and Pollycove, M. Citric acid cycle metabolism in man, 314*
DeGrazia, J. A. See Ray, G. R.
DeLand, F. H., Wagner, H. N., Hosain, F. and James, A. E. Cisternography, 314*
DeLand, F. H. See Hosain, F.
Del Castilho, R. See Goodwin, D. A.
Delwaide, P. A. Plastic scintillator whole-body neutron activation
DeNardo, G. L. See Bell, R. L.
Denney, J. D., Murano, R., Pailthorp, K. G., Hinn, G. M., Rich, C. and Nelp, W. B. Bone mass by whole-body neutron activation analysis, 624*
de Papp, Z. G., Pincus, R. A. and Hempelmann, L. H. Treatment of radiation-induced nodular goiters, 496
Dern, P. L. See Brown, D. W.
Dibos, P. E., Judisch, J. M., Spaulding, M. B., Wagner, H. N. and McIntyre, P. A. RES in hematological diseases, 315*
Dillman, L. T. Decay schemes and nuclear parameters for radiation dose estimation, MIRD Pamphlet, No. 6
DiLorenzo, P. A. See Brown, D. W.
Distefano, R. M. and Cluston, S. E. Blockage of RES for improved bone marrow imaging, 625*
Dizon, M., Mackay, J. R., Yi, C. H., McMullen, R. F. and Allen, H. D. Intracardiac transit times, 625*
Dizon, M., Montojo, P. M., McMullen, F. F. and Allen, H. C. Autofluroscopic examination in thromboembolism, 315*
Dizon, M. See McMullen, F. F.
Dombrowski, C. S.
See Cohn, S. H.
See Johnson, P. M.
Donnellan, S. A. M. Quality-control program, 408*
Dore, E. K. See Gates, G. F.
Douglas, C. H., Surprenant, E. L. and Bennett, L. R. Optimizing administered dose, 386*
Douglas, C. H., Surprenant, E. L., Grossnick, M. A. and Webber, M. M. ^{99m}Tc-albumin preparations, 387*
Douglas, C. H., Suprenant, E. L. and Reith, H. F. Automated breathing valve for improved regional ventilation perfusion studies, 625*
Dowdey, J. H. See Bonte, F. J.
Dowell, J. W., Mishkin, F. S. and Reese, I. C. Advantages of a minified scan image, 409*
Dowswell, J. W. See Jansen, C.
Doyle, G. See Farrer, P. A.
Dratz, A. F. and Coberly, J. C. Scintillation camera patient-picture orientation, 144
Dratz, A. F. and Coberly, J. C. Scintillation camera photo display calibration method, 626*
Drescher, W. P. See MacIntyre, W. J. See Inkley, S. R.
Dukstein, W. G.
See Farmelant, M. H.
See Prince, J. R.
Dulock, L. See Zielinski, J.
Dunn, C. J. and Mason, W. E. Radioisotope transmission spirometry, 626*
Dunson, G. L., Jones, A. E. and Crofford, W. M. ^{18}F production, processing and patient use, 316*
Duszynski, D. O., Jewett, T. C. and Allen, J. E. Abdominal scanning with $^{99m}TcO_4^-$, 627*
Duxbury, C. E.
See Bell, E. G.
See Sandler, M.
Dworkin, H. J. See Meighan, J. W.
Dwyer, A. See Mayer, K.
Dyer, G. R. See Satterfield, M. M.
Dyken, M. L. See Mishkin, F. S.
Eagle, M. See Samuels, L. D.
Eaton, S. B. See James, A. E.
Eckelman, W. and Richards, P. ^{99m}Tc-DTPA "kit" preparations, 761
Eckelman, W., Richards, P., Hauser, W. and Atkins, H. Technetium-labeled red blood cells, 628*
Eckelman, W. See Atkins, H. L.
Edelmann, C. M. See Blaufox, M. D.
Edwards, C. L., Hayes, R. L., Nelson, B. M. and Tehranian, N. Clinical investigation of ^{67}Ga for tumor scanning, 316*
Edwards, C. L. See Winchell, H. S.

Edwards, G. A. See Hunter, W. W.
Edwards, W. See Sauerbrunn, B. J. L.
Ege, G. N. and Richards, L. PVP stabilizer for ^{99m}Tc-S colloid, 175
Eilan, A. See Czerniak, P.
Emrich, D., Willgeroth, F., zür Mühlen, A. V. and Lammich, A. Fate of radioactive compounds in tumor bearing rats, 317*
Endres, G. W. R. See Pailthorp, K. G.
Enot, K. J. See Handel, S. F.
Erickson, J. J. and Brill, A. B. Resolution in digitized camera images, 317*
Erickson, J. J. See Patton, J. A.
Eyring, E. J. See Samuels, L. D.
Fall, D. J. See Kuiper, D. H.
Fallat, R. J. and Powell, M. R. Ventilation abnormalities in α_1-antitrypsin deficiency, 318*
Farmelant, M. H. Reduced background renograms, 267
Farmelant, M. H. Regional pulmonary hypoperfusion, 627*
Farmelant, M. H., Dukstein, W. and Burrows, B. A. Hippuran renograms, 186
Farmelant, M. H., Sachs, C. E. and Burrows, B. A. Renal accumulation of radioactive compounds, 112
Farrer, P. A., Roghair, G., Steinhacker, R. and Sharrett, T. Prognosis and early diagnosis of strokes, 628*
Farrer, P. A., Yin, R. W., Huang, S., Graveline, C. and Doyle, G. Renal transplant function, 628*
Farrer, P. A. Value of renal function studies in hypertensive patients, 738
Farrer, P. A. See Saha, G. B.
Fawwaz, R. Uptake of ^{109}Pd-porphyrin complexes by lymphoid tissue, 629*
Fawwaz, R.
See Chernelch, M.
See Winstead, M. B.
Feige, Y. See Ben-Porath, M.
Ferrari, M. See Touya, E.
Ficken, V. See Halpern, S. E.
Fields, M. See Friedman, B. I.
Fillion, P., Picard-Daoust, L. and Ghys, R. Routine 35-mm photography of the persistence scope, 409*
Finney, C. See Adams, R.
Finston, R. A.
See Goodwin, D. A.
See Matin, P.
Fish, M. B., Barnes, B. D., Koch, R., Khentigan, A. and Pollycove, M. Cranial blood-flow defects in cerebral vascular disease, 318*
Fish, M. B., O'Day, D., Aronson, S., Coons, A. and Pollycove, M. Ocular blood flow using microspheres, 319*
Fish, M. B. See De Grazia, J. A.
See Winchell, H. S.
Fitzgerald, L. T., Bruno, F. P., Glassman, A. and Williams, C. M. Serum thyroxine determination, 669
Fleischner, F. G. See James, A. E.
Flesher, A. See MacDonald, N. S.
Flickinger, F. W. See Corman, L. A.
Flowers, W. M. See Smith, R. O.
Foster, J. Peaking pitfalls, 409*
Foster, J. See Hoffer, P. B.
Franco, J., Coppler, M. and Kovaleski, B. Treatment of diffuse thyroid hyperplasia with hyperthyroidism, 219, 320*
Franco, J.
See Coppler, M.
See Kovaleski, B.
Frank, H. See Usher, M. S.
Frankel, O. See Czerniak, P.
Freedman, G. S. Tomography with a gamma camera, 602, 647*
Freedman, G. S. Tomography using a camera, computer and special collimator, 319*
Freedman, G. S., Henisz, A. and Kligerman, M. M. Pulmonary function abnormalities, 320*
Freedman, G. S., Treves, S., Lange, R. C., Cornelius, E. A. and Brown, R. ^{99m}Tc-DTPA in renal transplant evaluation, 320*
Freedman, G. S., Treves, S. and Spencer, R. P. Aperture card microfilming system, 387*
Freedman, G. S.
See Antar, M. A.
See Lange, R. C.
See Treves, S.
Freeman, L. M., Meng, C., Richter, M. W. and Blaufox, M. D. Renal vascular occlusion, 321*
Friedell, H. See Benjamin, A.
Friedman, B. I., Fields, M., Boyd, M., Harper, A. and Avis, K. E. ^{99m}Tc dynamic flow studies, 388*
Friedman, M. H. F. See Marsden, D. S.
Fukuda, N. See Nagai, T.
Funk, D. D. Plasma iron turnover in normals, 107
Ganatra, R. D. See Sharma, S. M.
Gardner, H. and Johnston, G. S. Whole-body counter—use in bone scanning, 629*
Garnett, E. S. See Webber, C. E.
Gates, G. F. and Dore, E. K. Delayed $^{99m}TcO_4^-$ brain scanning, 321*
Gault, J. H. See Ashburn, W. L.
Gelfand, M. M. See Sternberg, J.
Genna, S., Shore, H. H., Jones, R. L. and Cardarelli, J. A. Dual radioisotope scanning, 322*
Genna, S. See Tyson, I.
Genuth, S. M. See Renerts, L.
George, A. See Blum, M.
Ghys, R. See Fillion, P.
Gibbs, W. D., Hodges, H. D., Bailey, M. and Lushbaugh, C. C. Whole-body quantitation of ^{131}I retention, 487
Gilchrist, J. See Tieman, J.
Gilday, D. L. Sensitivity of lung scanning in pulmonary embolism, 647*
Gilday, D. L., Reba, R. C. and Longo, R. Techniques for the vertex view in brain imaging, 503
Gilson, A. J.
See Ashkar, F. S.
See Smoak, W. M.
Girolamo, R. See Baum, S.
Glass, H. I. See Short, M. D.
Glassman, A. See Fitzgerald, L. T.
Gloria, I. V. See Lathrop, K. A.
Go, R. See Chaudhuri, T. K.
Goel, Y. See Kontzen, F. N.
Gold, F. M. See Lorber, S. A.
Goldman, H. S. See Blaufox, M. D.
Goldman, M., Williams, R. J. R. and Bulgin, M. S. ^{18}F imaging of ^{226}Ra-induced bone lesions, 209
Goldsmith, R. E. See Wellman, H. N.
Gollan, F. See Johnson, A. E.
Goltz, R. W. $^{99m}TcO_4^-$ clearance in normal and psoriatic skin, 304*
Goltz, R. W. See Brown, D. W.
Goodrich, J. K.
See Gorten, R. J.
See Harris, C. C.
See Jones, R. H.
Goodwin, D. A., Matin, P. and Finston, R. A. Extended studies with ^{111}In, 388*
Goodwin, D. A., Menzimer, D. and Del Castilho, R. Dual-spectrometer system for high-efficiency imaging, 221
Goodwin, D. A.
See Imbornone, C. J.
See Matin, P.
Goodyear, M. L. Rapid heart pool scanning, 514
Gordon, F. See Cuarón, A.
Gorten, R. J., Lincoln, C. R., Krackow, K. A. and Goodrich, J. K. Treatment of experimental myocardial infarction, 388*
Gorton, R. J.
See Krackow, K. A.
See Lawrence, C. A.
Goswitz, F. A. and Vodopick, H. Radiocolloid scans in chronic granulocytic leukemia, 629*
Gottschalk, A.
See Heck, L. L.
See Hoffer, P. B.
See Landman, S.
Graber, S. E., Scheffel, V., Hodkinson, B. A., Heyssel, R. M. and McIntyre, P. A. Vitamin B_{12} transport from mother to fetus in the rat, 322*
Graham, L. See Saba, T.
Graveline, C. See Farrer, P. A.
Greene, M. W., Lebowitz, E., Richards, P. and Hillman, M. Production of ^{52}Fe for medical use, 323*
Greenhouse, V. Y. See Spar, I. L.
Greenlaw, R. H.
See Preston, D. F.
See Selby, J. B.
Grollman, J. H. See Webber, M. M.
Groome, D. S. See Brown, D. W.
Grossnick, M. A. See Douglas, C. H.
Grötte, G. J. See Clark, F.
Groves, R. B. See Brahmavar, S. M.
Gruskin, A. B. See Blaufox, M. D.

Guelfi, A. G. See Touya, E.
Guisan, M. See Ashburn, W. L.
Gusmano, E. A. See Baker, S. L.
Gydesen, F. R. See Sester, E. L.
Hackendorf, M. See MacDonald, N. S.
Halko, A. and Burke, G. Cardiac output by radioisotope angiography, 630*
Halpern, S. E., Ficken, V. and Smith C. Circulation time studies, 389*
Halpern, S. E., Smith, C. W. and Ficken, V. ^{99m}Tc brain scanning in herpes virus type I encephalitis, 548
Hamamoto, K., Tauxe, W. N. and Hunt, J. C. Arterial disease and hypermobility of the kidney, 389*
Hamburger, J. I. and Meier, D. A. ^{131}I-induced hypothyroidism after therapy for hyperthyroidism, 630*
Handel, S. F., Wilson, C. W., Enot, K. J. and Powell, M. Response of brain neoplasms to systemic chemotherapy, 323*
Hansen, D. See Marty, R.
Hansen, K. S. Platelet survival and sequestration patterns in thrombocytopenic disorders, 647*
Harbert, J. C., McCollough, D. C., Zeiger, L. S., Davidson, J. D. and Ashburn, W. L. Spinal cord dosimetry in ^{131}I-IHSA cisternography, 534
Harper, A. See Friedman, B. I.
Harper, P. V., Metz, C. E., Charleston, D. B., Beck, R. N. and Beckman, F. Analog image processing with incoherent electrooptical methods, 631*
Harper, P. V.
See Kawana, M.
See Lathrop, K. A.
See Lembares, N.
See Porter, J.
Harris, C. C., Buffaloe, T. S., Goodrich, J. K. and Wilkinson, R. H. New form of imaging phantom, 389*
Harris, C. C., Jones, R. H., Buffaloe, T. S. and Goodrich, J. K. Deadtime effects on measurement of dynamics, 324*
Harris, C. C.
See Barnett, H. D.
See Jones, R. H.
Harris, E. R. See Usher, M. S.
Hart, E. F. See Knowles, L. G.
Hart, H. See Rudin, S.
Hartenbower, D. L. See Weiss, E. R.
Harvey, E. See Rhodes, B. A.
Hauser, W.
See Atkins, H. L.
See Eckelman, W.
See Hoyte, R.
Hayes, M., Moore, T. C. and Thompson, D. P. Correlations of kidney scans with laboratory data, 390*
Hayes, M.
See Isawa, T.
See Kennady, J. C.
Hayes, R. L., Byrd, B. L., Carlton, J. E. and Rafter, J. J. Localization of ^{67}Ga in animal tumors, 324*
Hayes, R. L.
See Edwards, C. L.
See Winchell, H. S.
Haynie, T. P., Konikowski, T., Jhingran, S. G. and Jahns, M. F. ^{99m}Tc-iron DTPA complex for brain imaging, 324*
Haynie, T. P.
See Konikowski, T.
See Mahler, D. J.
Hays, M. T.
See Bender, M. A.
See Blahd, W. H.
Hecht, R. Blood volume, 410*
Heck, L. and Gottschalk, A. Appearance of intrahepatic biliary duct dilatation on liver scintiphotos, 631*
Heck, L. and Gottschalk, A. Method for $^{99m}TcO_4^-$ thyroid uptake, 325*
Heitzman, M. and Johnston, G. S. ^{82}Br in diagnosis of CNS disease, 391*
Hellens, H. K. See Smith, R. O.
Hempelmann, L. H. See de Papp, Z. G.
Hendee, W. R. See Niehoff, R. D.
Henisz, A. See Freedman, G. S.
Hering, A. See Czerniak, P.
Hewka, P. V. and Huto, G. C. Measurement of ultra-low energy radiation, 325*
Heyssel, R. M. See Graber, S. E.
Hidalgo, J. U. Absorbed dose from radionuclides, 768
Hill, R. See Holman, B. L.
Hill, T., Welch, M. J., Adatepe, M. and Potchen, E. J. Preparation ^{113m}In-DTPA for brain scanning, 28
Hillman, M. See Greene, M. W.
Hine, G. J. and Johnston, R. E. Absorbed dose from radionuclides, 468, 768
Hine, G. J. and Sauerbrunn, B. J. L. Calibration phantom, 391*
Hine, G. J.
See Pircher, F. J.
See Tsialas, S. P.
Hinn, G. M. See Denney, J. D.
Hipple, T. H. See Samuels, L. D.
Hiramoto, T. See Tanaka, E.
Hodges, H. D. See Gibbs, W. D.
Hodkinson, B. A. See Graber, S. E.
Hoffer, P. B., Beck, R. N., Charleston, D. B., Zimmer, L. T. and Gottschalk, A. Semiconductor detector for scanning, 326*
Hoffer, P. B., Gottschalk, A. and Foster, J. Fluorescent thyroid scanning, 326*
Hofmann, W. W. See De Grazia, J. A.
Hollander, L. See Winchell, H. S.
Holman, B. L., Carter, C. C., Hill, R. and Potchen, E. J. Assessing microvascular cerebral shunts, 327*
Holman, B. L., Hill, R. and Potchen, E. J. Quantifying cerebral blood flow, 327*
Holmes, R. Demonstrating parathyroid lesions by selenomethionine scanning, 631*
Holmes, R. Diffuse metastatic pulmonary calcification, 327*
Honda, T., Kazem, I., Croll, M. N. and Brady, L. W. Instant labeling of macro- and microaggregated albumin, 580
Honda, T. See Lam, S.
Hoover, C. See Remenchik, A. P.
Hosain, F., Som, P., DeLand, F. H., James, A. E. and Wagner, H. N. ^{169}Yb-Ca DTPA cisternography, 328*
Hosain, F., Syed, I. B. and Wagner, H. N. Ionic ^{135m}Ba for bone scanning, 328*
Hosain, F.
See DeLand, F. H.
See Zolle, I.
Hoyte, R., Wolfe, A., Christman, D., Hauser, W. and Atkins, H. ^{18}F-labeled amino acids for organ imaging, 632*
Hoyte, R. See Christman, D. R.
Huang, S. See Farrer, P. A.
Hughes, J. M. See Jones, T.
Hunkar, D. E. See Simmons, G. H.
Hunt, J. C. See Hamamoto, K.
Hunt, W. A. See Meder, H. G.
Hunter, O. B. and Bering, N. M. Cerebral blood flow studies, 391*
Hunter, W. W. and Edwards, G. A. Stabilization of particulate suspensions, 392*
Hunter, W. W. and Riccobono, X. J. Tumor localization with ^{111}In, 328*
Hunter, W. W. See Dare, J. G.
Hurley, P. J., Strauss, H. W. and Wagner, H. N. Radionuclide angiography and cine-angiography in screening patients for cardiac disease, 632*
Hurley, P. J. See Cooper M.
Hurley, J. R. See Sigel, R. M.
Hurley, P. J. See Strauss, H. W.
Huto, G. C. See Hewka, P. V.
Iinuma, T. A. See Nagai, T.
Iio, M., Kitani, K., Yamada, H., Ueda, H., Iuchi, M. and Maeda, T. Liver scanning of patients with schistomiasis japonica, 329*
Iio, M., Yamada, H., Kameda, H., Ueda, H., Iuchi, M. and Ishiwa, M. Diagnosis of constitutional hyperbilirubinemia using ^{131}I-BSP sequential scanning, 632*
Iio, M.
See Sasaki, Y.
See Takayanagi, S.
Iisaka, Y. See Oldendorf, W. H.
Imbornone, C. J. and Goodwin, D. A. Diagnosis of subdiaphragmatic abscess, 410*
Inkley, S. R., MacIntyre, W. J., Roth, E. and Drescher, W. J. Ventilation-perfusion using ^{133}Xe, 330*
Inkley, S. R. See MacIntyre, W. J.

Isawa, T. Pulmonary perfusion changes after experimental unilateral bronchial occlusion, 648*
Isawa, T., Hayes, M. and Taplin, G. V. Radioaerosol inhalation lung imaging, 330*
Isawa, T. and Taplin, G. V. Unilateral pulmonary artery agenesis and hypoplasia, 330*
Ishii, Y., MacIntyre, W. and Roth, E. Quantitative scintiangiocardiography, 633*
Ishii, Y. See MacIntyre, W. J.
Ishiwa, M. See Iio, M.
Iuchi, M. See Iio, M.
Jackson, G. L. Increase in PBI caused by L_3, 270
Jackson, G. L. See Chang, J. C.
Jahns, M. F. See Haynie, T. P.
James, A. E., Eaton, S. B., Potsaid, M. S. and Fleischner, F. G. Pulmonary emboli, 214
James, A. E.
See DeLand, F. H.
See Hosain, F.
James, R. W. See Myers, W. G.
Jankelevicz, D. See Czerniak, P.
Jansen, C., Dowswell, J. W. and Adams, R. Dynamic ^{99m}Tc-sulfur colloid studies, 331*
Jansen, C. See Adams, R.
Jewett, T. C. See Duszynski, D. O.
Jhingran, S. G. See Haynie, T. P.
Johnson, A. E. and Gollan, F. Simultaneous red cell, plasma and extracellular fluid volume determination, 634*
Johnson, A. E. and Gollan, F. ^{99m}Tc-technetium dioxide for liver scanning, 564
Johnson, D. E.
See Chopra, I.
See Ramanathan, P.
Johnson, P. M. and Reilly, J. A. Quantitative skeletal imaging, 331*
Johnson, P. M., Sagerman, R. H. and Dombrowski, C. S. Ischemia of lung due to radiation, 491
Johnson, R. F. See Lawrence, C. A.
Johnston, G. S.
See Gardner, H.
See Heitzman, M.
See Kyle, R. W.
See Spencer, R. P.
See Volpe, J. A.
Johnston, R. E., Staab, E. V., Allen, J. H. and Brill, A. B. Radiation dose in IHSA cisternography, 332*
Johnston, R. E.
See Hine, G. J.
See Lathrop, K. A.
See Watts, J. R.
Jones, A. E. See Dunson, G. L.
Jones, R. H., Goodrich, J. K., Harris, C. C., Buffaloe, T. S. and Sabiston, D. C. Quantitative regional perfusion and ventilation, 332*
Jones, R. H., Sabiston, D. C., Morris, J. J., Buffaloe, T. S. and Goodrich, J. K. Intracardiac transit times, 333*
Jones, R. H. See Harris, C. C.
Jones, R. L.
See Genna, S.
See Tyson, I.
Jones, T., Clark, J. C., Hughes, J. M. and Rosenweig, D. Y. ^{81m}Kr generator for cardiopulmonary studies, 118
Judisch, J. M. See Dibos, P. E.
Jump, B. J., Litrenta, S. J. and Niznik, T. T. Lung ventilation using pressurized ^{133}Xe gas, 410*
Kahehi, H. See Arimizu, N.
Kameda, H.
See Iio, M.
See Sasaki, Y.
Kantor, G. See Wagner, M. S.
Kaplan, E.
See Clowdus, B.
See Cooke, M. B. D.
See Saba, T.
See Sparagana, M.
Karam, Y. See Raynaud, C.
Kariyone, S. See Takahashi, Y.
Kase, N. G. See Spencer, R. P.
Kawana, M., Krizek, H., Porter, J., Lathrop, K. A., Charleston, D. and Harper, P. V. ^{199m}Tl as a potassium analog for scanning, 333*
Kawana, M. See Porter, J.
Kazem, I.
See Honda, T.
See Lam, S.
Kellershohn, C. See Raynaud, C.
Kennady, J. C., Miller, B. J., Anderson, W. B. and Hayes, M. Assessment of cerebrovascular disease, 333*
Kereiakes, J. G. See Simmons, G. N.
Keyes, J. W., Strange, D. R. and Thomas, F. D. Gamma camera field uniformity, 335*
Keyes, J. W.
See Strange, D. R.
See Thomas, F. D.
Khentigan, A. See Fish, M. B.
Kirch, D. L., Cycowski, C. B., Polhemus, C. E. and Brown, D. W. Image enhancement of scans by optical spatial filtering, 335*
Kirch, D. L. See Brown, D. W.
Kirkham, B. C., Tyson, I. B. and Wirtanen, G. W. ^{131}I-MAA liver scanning vs. arteriography, 196
Kitani, K., Ladefoged, J., Winkler, K. and Tygstrup, N. Liver blood flow and lipid content, 335*
Kitani, K. See Iio, M.
Klaassen, B. J. The knowledgeable technician; a good brain scanning agent, 411*
Klassen, A. C. See Kush, G. S.
Klempfner, G., Brody, J. S., Kuhl, D. E., Vidyasagar, D., Waldhausen, J. A. and Staum, M. M. Mucociliary clearance of particles from the proximal bronchi, 336*
Kligerman, M. M.
See Antar, M. A.
See Freedman, G. S.
See Spencer, R. P.
Knowles, L. G., Hart, E. F. and Schulz, A. G. Line spacing and time smoothing effects on lesion detectability, 336*
Knowles, L. G. See Schulz, A. G.
Kobayashi, B. T. See Takayanagi, S.
Koch, R. See Fish, M. B.
Kohlenstein, L. C. and Schulz, A. G. Observer performance criteria for evaluating imaging systems, 337*
Kohlenstein, L. C. See Schulz, A. G.
Konikowski, T. and Haynie, T. P. Effect of perchlorate on $^{99m}TcO_4^-$ localization, 443
Konikowski, T. See Haynie, T. P.
Kontzen, F. N. and Goel, Y. Effect of iodide and atropine on TcO_4^- uptake by the choroid plexus, 634*
Koppel, M. See Weiss, E. R.
Kostamis, P., Contantinides, C., Papavassiliou, C., Binopoulos, D. and Malamos, B. Bone marrow scintiphotography, 337*
Kovaleski, B., Coppler, M. and Franco, J. Isotopic and ultrasonic liver studies, 411*
Kovaleski, B.
See Coppler, M.
See Franco, J.
Krackow, K. A. and Gorten, R. J. Computer simulation of scanning process, 523
Krackow, K. A. See Gorten, R. J.
Kremenshuzky, S. See Musso, A. M.
Krishnamurthy, G. T., Srinivasan, N. V., Weiss, E. R. and Blahd, W. H. Pulmonary blood flow in acquired cardiac disease, 338*
Krishnamurthy, G. T., Tubis, M., Lederer, M. and Blahd, W. H. Clearance of ^{203}Hg-chlormerodrin, 392*
Krishnamurthy, G. T., Winston, M. A., Weiss, E. R. and Blahd, W. N. False-positive pulmonary photoscans, 714
Kriss, J. P. See Matin, P.
Krizek, H.
See Kawana, M.
See Porter, J.
Kuhl, D. E. and Sanders, T. P. Comparing brain rectilinear and transverse views, 2
Kuhl, D. E.
See Corriere, J. N.
See Klempfner, G.
Kuiper, D. H., Fall, D. J. and Pollard, H. M. Ashing technique for radioassay of ^{51}Cr in feces, 527
Kulberg, G. N. See Dare, J. G.
Kundey, D. E. Comparable films on rectilinear scanners, 411*
Kusch, M. M. Literature currently available, 412*
Kush, G. S., Meyer, M. W., Klassen, A. C. and Loken, M. K. Cerebral circulation using ^{133}Xe, 338*
Kush, G. S.
See Loken, M. K.
See Ponto, R. A.
Kusubov, N.
See Slanger, B. H.
See Winchell, H. S.

Kyle, R. W. and Johnston, G. S. Preparation of heat-treated ^{51}Cr-RBC, 412*
Ladefoged, J. See Kitani, K.
Lafontaine, Y., Robillard, R. and Mathieu, R. Everyday use of a small digital computer, 413*
Laleli, Y., McIntyre, P. A. and Wagner, H. N. Assay system for antibody to leukocytes, 339*
Lam, S., Kazem, I., Honda, T. and Brady, L. W. Dynamic phantom-, 393*
Lamb, J. and Winchell, H. S. Direct cyclotron production of $^{11}CN^-$, 339*
Lamb, J. F. See Myers, W. G.
Lammich, A. See Emrich, D.
Landaw, S. A. and Winchell, H. S. Clinical studies of erythropoiesis, 393*
Landaw, S. A. See Winchell, H. S.
Lander, H. See Cook, D. J.
Landman, S., Polcyn, R. J. and Gottschalk, A. Pancreas imaging, 393*
Lange, D. See Schneck, P.
Lange, R. C., Freedman, G. S. and Treves, S. Maximum useful frame rate in dynamic studies, 340*
Lange, R. C. and Spencer, R. P. ^{141}Ce-^{141}Pr generator, 340*
Lange, R. C., Treves, S. and Spencer, R. P. Bone scanning with ^{135m}Ba and ^{131}Ba, 340*
Lange, R. C.
See Antar, M. A.
See Freeman, G. S.
See Pearson, H. A.
See Spencer, R. P.
See Treves, S.
Laor, I. See Lubin, E.
Laplante, M. See Tran, N.
Larose, J. H., Whitaker, R. N. and Reba, R. C. Radioiodinated toluidine blue, an unsatisfactory scanning agent, 726
Larson, J. See Perez, S. F.
Larson, S. M., Tuell, S. H., Moores, K. D. and Nelp, W. B. Size and mass of spleen, 341*
Lathrop, K. A., Gloria, I. V. and Harper, P. V. Fetal radiation absorbed doses from placenta imaging, 341*
Lathrop, K. A., Johnston, R. E. and Blau, M. Radiation dose from ^{75}Se-selenomethionine, 394*
Lathrop, K. A.
See Kawana, M.
See Porter, J.
Laughlin, J. S.
See Clarke, L. P.
See Costeas, A.
See Mayer, K.
See Monahan, W. G.
Lawrence, C. A., Russell, M. E., Davis, R. P., Johnson, R. F. and Gorten, R. J. Effect of capsule content variations on thyroid uptake, 561
Lawrence, J. H.
See Winchell, H. S.
See Winstead, M. B.
Layne, S. E. See Selby, J. B.
LeBel, E. See Tran, N.
Lebowitz, E.
See Green, M. W.
See Richards, P.
Lederer, M. See Krishnamurthy, G. T.
Lee, J. I.
See Anghileri, L. J.
See Brown, D. W.
Lehan, P. H. See Smith, R. O.
Leins, P. A.
See Siemsen, J. K.
See Waxman, A. O.
Lembares, N., Beck, R. N. and Harper, P. V. Thyroid scanning with ^{125}I, 342*
Lerner, S. R., Cooper, P. H. and Pircher, F. J. Computer computation of scanning data, 394*
Lerner, S. R. See Pircher, F. J.
Levin, J. See Cooper, J. F.
Levin, R. M. and Campbell, A. S. Amebic liver abscesses, 342*
Levine, J. See Bardfeld, P. A.
Levitus, S. See Ben-Porath, M.
Levy, D. See Wagner, H. N.
Lewitus, Z. See Lubin, E.
L'Heureux, P. See Loken, M. K.
Lieberman, L. M., Boyd, C., Bergstrom, T. and Beierwaltes, W. H. Beta radiation dose to retina, 343*
Lieberman, L. M.
See Blair, R. J.
See Boyd, C. M.
See Varma, V. M.
Lim, M. See Tyson, I. B.
Lima, J. B., Catz, B. and Perzik, S. L. Thyroid cancer following ^{131}I therapy of hyperthyroidism, 46
Lincoln, C. R. See Gorten, R. J.
Lipshultz, L. I. See Corriere, J. N.
Litrenta, S. J. See Jump, B. J.
Little, A. See Sparagana, M.
Loken, M. K., L'Heureux, P. and Kush, G. S. Pulmonary function studies using ^{133}Xe, 344*
Loken, M. K.
See Ponto, R. A.
See Kush, G. S.
Longo, R. See Gilday, D. L.
Lopez-Majano, V. See Rhodes, B. A.
Lorber, A. See Cohen, M. B.
Lorber, S. A., Gold, F. M., Maglione, A. A. and Rubenfield, S. ^{69m}Zn dosimetry and biological fate, 699
Lorenz, W. J. and Meder, H. G. High-resolution optical scanner for digitizing scintiphotos, 634*
Lotter, M. G. See van der Merwe, E. J.
Lubin, E., Laor, I., Lewitus, Z. and Ben-Porath, M. Blood pool of liver lesions, 344*
Lubin, E. See Ben-Porath, M.
Lushbaugh, C. C. See Gibbs, W. D.
Lynde, R. H. See Williams, J. P.
McAfee, J. G.
See Bell, E. G.
See Berg, B. C.
See Sandler, M.
See Subramanian, G.
McClain, W. J. See Satterfield, M. M.
McCollough, D. C. See Harbert, J. C.
McCormack, K. See Cordes, F.
McCormack, K. R. See Selby, J. B.
McDonald, D. G. See Ashburn, W. L.
McDonald, R. A. See Bernard, J. D.
McFarland, J., Staab, E. V. and Brill, A. B. The Intertechnique digital cinescintigraphy system, 413*
McIntyre, P. A.
See Dibos, P. E.
See Graber, S. E.
See Laleli, Y.
McKamey, M. See Marty, R.
McMullen, F. F., Dizon, M., Montojo, P. M. and Allen, H. C. Pulmonary perfusion dynamics in thromboembolism, 395*
McMullen, F. F. See Dizon, M.
McRae, J.
See Volpe, J. A.
See Winchell, H. S.
See Yano, Y.
Macal, O. See Quinones, J. D.
MacDonald, N. S., Hackendorf, M. and Flesher, A. Placental transfer of ^{113}Sn, 344*
Maeda, T. See Iio, M.
MacIntyre, W. J., Inkley, S. R., Roth, E., Drescher, W. P. and Ishii, Y. Dynamic function measurement, 345*
MacIntyre, W. J.
See Inkley, S. R.
See Razzak, M. A.
See Ishii, Y.
Mack, J. F., Wellman, H. N., Poe, R. H. and Witt, R. L. ^{133}Xe Perfusion-ventilation of bullous lesions, 345*
Mackay, J. R. See Dizon, M.
MacLaury, M. See De Grazia, J. A.
Maglione, A. A. See Lorber, S. A.
Mahler, D. J., Scott, A. F., Walsh, J. R. and Haynie, G. Trace metals in fingernails and hair using neutron activation analysis, 734
Malamos, B. See Kostamis, P.
Man, B. See Czerniak, P.
Mardell, R. Indium scanning agents, 470
Marsden, D. S., Alexander, C., Friedman, M. H. F. and Dallemand, S. Secretion of I^- and TcO_4^- by various regions of the stomach, 634*
Martinez, C. See Clowdus, B.
Marty, R., Hansen, D. and McKamey, M. Strontium kinetics in rabbits, 635*
Mason, W. E. See Dunn, C. J.
Mathieu, R. See Lafontaine, Y.
Matin, P. Cerebrospinal fluid scanning with ^{111}In, 648*
Matin, P., Goodwin, D. A. and Finston, R. Cerebrospinal fluid scanning with ^{111}In, 346*
Matin, P. and Kriss, J. P. Mitral valvular disease demonstrated by radioisotopic angiocardiography, 718
Matin, P., Ray, G. and Kriss, J. P.

Superior vena cava obstruction and pericardial effusion, 78
Matin, P. See Goodwin, D. A.
Matsen, F. See Schall, G. L.
Mauderli, W. See Bruno, F. P.
Maxfield, W. S. and O'Neil, J. Renography in the new born, 635*
Mayer, K., Dwyer, A. and Laughlin, J. S. ACD damaged ^{51}Cr-RBC, 455
Mayer, K. See Clarke, L. P.
Mazess, R. B. and Cameron, J. R. Body composition using absorptiometry, 395*
Meachem, W. A. See Staab, E. V.
Meade, R. C. and Barboriak, J. J. Gastric emptying rate, 395*
Meckelnburg, R. L. Perfusion changes following hyperbaric exposure, 346*
Meder, H. G. and Hunt, W. A. Sampling rate, resolution and deconvolution filters, 346*
Meder, H. G. See Larenz, W. J.
Meier, D. A. See Hamburger, J. L.
Meighan, J. W. and Dworkin, H. J. False negative ^{99m}Tc thyroid scan, 173
Meng, C. See Freeman, L. M.
Menzimer, D. See Goodwin, D. A.
Metz, C. E. Differential method of image focusing, 142
Metz, C. E. Linear image-processing techniques, 347*
Metz, C. E. See Harper, P. V.
Meyer, M. W. See Kush, G. S.
Michaelson, S. M. See Spar, I. L.
Miller, B. J. See Kennady, J. C.
Miller, E. S. See Anghileri, L. J.
Miller, R. See Ashkar, F. S.
Mishkin, F. S. Radionuclide angiogram and scan findings in a case of herpes simplex encephalitis, 608
Mishkin, F. S. and Brashear, R. E. Effect of free pleural fluid on the lung image, 636*
Mishkin, F. S. and Dyken, M. L. Internal carotid artery obstruction, 636*
Mishkin, F. S. See Dowell, J. W.
Miwa, T. See Murayama, H.
Mizejewski, G. J. See Quinones, J. D.
Monahan, W. G., Beattie, J. W. and Laughlin, J. S. 3-D resolution system for positron emitters, 347*
Montojo, P. M.
See Dizon, M.
See McMullen, F. F.
Moore, T. C. See Hayes, M.
Moores, K. D. See Larson, S. M.
Morris, J. J. See Jones, R. H.
Morrison, L. M. See Bruno, F. P.
Moser, K. M. See Ashburn, W. L.
Mucci, R. F. See Schulz, A. G.
Muehllehner, G. Rotating collimator tomography, 347*
Murano, R.
See Denney, J. O.
See Pailthorp, K. G.
Murayama, H., Abe, K., Okamoto, S., Takanashi, K., Shinmura, F. and Miwa, T. Evaluation of brain scanning, 348*
Murty, D. R. K. See Baker, S. L.
Musso, A. M., Kremenshuzky, S. and Rochna Viola, E. M. Absorption of ^{3}H-folic acid and Co-B$_{12}$, 569
Myers, W. G. ^{85m}Sr-biological and physical properties, 636*
Myers, W. G., Lamb, J. F., James, R. W. and Winchell, H. S. ^{11}C distribution after intravenous injection of ^{11}C-cyanide, 636*
Nagai, T. Adrenal imaging, 217
Nagai, T., Fukuda, N. and Iinuma, T. A. Differential method of image focusing, 143
Nelp, W. B.
See Denney, J. D.
See Larson, S. M.
See Pailthorp, K. G.
See Rudd, T. G.
See Williams, J. L.
Nelson, B. M. See Edwards, C. L.
Nesmith, J. A. See Bernard, J. D.
Niehoff, R. D., Hendee, W. R. and Brown, D. W. Placenta scanning with ^{113m}In, 15
Niznik, T. T. See Jump, B. J.
Nodine, J. H. See Corman, L. A.
Nohara, N. See Tanaka, E.
Novey, H. S. See Surprenant, E. L.
Nuland, S. B., Cornelius, E. A. and Spencer, R. P. Hypersplenism in Hodgkin's disease, 693
O'Day, D. See Fish, M. B.
Ogwo, J. E. See Blaufox, M. D.
Okamoto, S. See Murayama, H.
Oldendorf, W. H., Sisson, W. B. and Iisaka, Y. Effect of ClO_4^- on distribution of $^{99m}TcO_4^-$, 85
Oldendorf, W. and Sisson, W. B. Uptake of ^{75}Se-selenomethionine by brain and pancreas, 637*
Oldendorf, W., Sisson, W. and Cassen, B. Liquid scintillation counting of ^{113m}In conversion electrons, 637*
Oldendorf, W. H. See Sisson, W. B.
O'Mara, R. E. and Danigelis, J. A. Evaluation of abdominal trauma, 396*
O'Mara, R. E. See Danigelis, J. A.
O'Neil, J. See Maxfield, W. S.
Osorio, A. See Touya, E.
Paez, A. See Touya, E.
Pailthorp, K. G., Endres, G. W. R., Murano, R. and Nelp, W. B. Radiation dosimetry in total-body neutron activation analysis, 348*
Pailthorp, K. G.
See Denney, J. D.
See Williams, J. L.
Palsma, D. M. H. See van Stekelenburg, L. H. M.
Papavassiliou, C. See Kostamis, P.
Patel, M. C. See Sharma, S. M.
Patton, D. D. Elimination of soft-tissue background in ^{87m}Sr bone scanning, 348*
Patton, D. D. and Reed, R. R. Semiquantitative flow studies, 396*
Patton, J. A., Erickson, J. J. and Brill, A. B. Bismuth fluorescence scanning, 349*
Peachey, J. A. See Best, C. N.
Pearson, H. A., Spencer, R. P., Cornelius, E. A., Treves, S. and Lange, R. C. Functional asplenia in sickle cell anemia, 349*
Pearson, H. A. See Spencer, R. P.
Peña, H. G. and Watts, R. S. ^{125}I-sudan orange for lipid studies, 350*
Perez, S. F., Bennett, L. R. and Larson, J. ^{111}In-albumin for cisternography, 638*
Perzik, S. L. Thyroid cancer detected after ^{131}I therapy, 471
Perzik, S. L. See Lima, J. B.
Picard-Daoust, L. See Fillion, P.
Pincus, R. A. See dePapp, Z. G.
Pintauro, D. See Cragin, M. D.
Pircher, F. J., Lerner, S. R., Cooper, P. H. and Hine, G. J. Dual-head quantitative scanning, 396*
Pircher, F. J. See Lerner, S. R.
Pitt, B. See Strauss, H. W.
Podolsky, S., Cardarelli, J. A. and Burrows, B. A. Immunoassay of insulin by neutron activation, 638*
Poe, N. Cardiodynamic effects of intracoronary artery injection of MAA, 350*
Poe, N. Influence of pulmonary arterial ischemia on the distribution of inhaled aerosols, 351*
Poe, R. H. See Mack, J. F.
Poggenberg, K. See Cooper, M.
Polcyn, R. E. Optimizing transmission images, 351*
Polcyn, R. J. See Landman, S.
Polhemus, C. E. See Kirch, D. L.
Pollard, H. M. See Kuiper, D. H.
Pollycove, M.
See De Grazia, J. A.
See Fish, M. B.
See Winchell, N. S.
Ponto, R. A., Kush, G. S. and Loken, M. K. ^{133}Xe handling and radiation dosimetry, 352*
Porter, J., Kawana, M., Krizek, H., Lathrop, K. A. and Harper, P. V. ^{67}Ga production with a compact cyclotron, 352*
Porter, J. See Kawana, M.
Potchen, E. J.
See Hill, T.
See Holman, B. L.
Potsaid, M. S. See James, A. E.
Powell, M. R.
See Fallat, R. J.
See Handel, S. F.
See Rothschild, E. O.
See Toren, D.
Preciado-Solis, A. See Rothschild, E. O.
Preston, D. F. and Greenlaw, R. H. "Hot spots" in lung scans, 422
Pribram, H. F. W. See Williams, J. P.
Price, D. C. and Benak, S. B. Marrow radioablation in man, 353*
Prince, J. R. A converging collimator for the scintillation camera, 638*
Prince, J. R., Coen L., Dukstein,

W. G. and Arnold, J. S. Operational modifications of the Pho/Gamma III, 397*
Pritchard, W. H. See Razzak, M. A.
Prpic, B. and Sternberg, J. Perfused isolated digestive tract, 353*
Quaife, M. A. and Wilson, W. J. Detection of cardiac tumor by rectilinear imaging with ^{131}Cs, 605
Quinn, J. L. Brain scan interpretation, 397*
Quinn, J. L. See Crews, M. C.
Quinones, J. D., Mizejewski, G. J. and Beierwaltes, W. H. Human choriocarcinoma scanning, 354*
Quinones, J. D., Varma, V. and Macal, O. Screening for renovascular hypertension, 398*

Rafter, J. J. See Hayes, R. L.
Ramanathan, P., Johnson, D. E. and Chopra, U. Dynamic studies of thyroid function with the Magna camera, 639*
Ramanathan, P. See Sharma, S. M.
Reba, R.
See Cooper, M.
See Gilday, D. L.
See Larose, J. N.
Reed, R. R. See Patton, D. D.
Reese, I. C. See Dowell, J. W.
Reid, J. M. See Bering, N. M.
Reilly, J. A. See Johnson, P. M.
Reith, N. F. See Douglas, C. N.
Rejali, A. See Benjamin, P. P.
Remenchik, A. P., Hoover, C. and Talso, P. J. Insulin secretion by hypertensive patients receiving hydrochlorothiazide, 355*
Renerts, L. and Genuth, S. M. Oral calcium absorption in renal failure, 355*, 413*
Ray, G. R., De Grazia, J. A. and Cavalieri, R. ^{75}Se-selenite for bone scanning, 354*
Ray, G. R. See Matin, P.
Raynaud, C., Ricard, S., Karam, Y. and Kellershohn, C. ^{197}Hg renal uptake, 125
Razzak, M. A., Botti, R. E., MacIntyre, W. J. and Pritchard, W. H. Cardiac output and renal blood flow, 190
Rhodes, B. A., Bourdoiseau, M., Buchanan, J. W., Cooper, J. F. and Wagner, H. N. ^{113m}In hydroxyapatite for RES studies, 356*
Rhodes, B. A., Wagner, H. N., Rutherford, R., Lopez-Majano, V., Spence, B. and Harvey, E. Peripheral circulation using intra-arterial injections of microspheres, 356*
Rhodes, B. A. See Zolle, I.
Ricard, S. See Raynaud, C.
Riccobono, X. J. See Hunter, W. W.
Rich, C. See Denney, J. D.
Richards, P. and Lebowitz, E. Capabilities of a linac isotope producer, 639*
Richards, L. See Ege, G. N.
Richards, P.
See Atkins, H. L.
See Eckelman, W.
See Greene, M. W.
Richter, M. W. See Freeman, L. M.
Robillard, R. See Lafontaine, Y.
Rochna Viola, E. M. See Musso, A. M.
Roghair, G. See Farrer, P. A.
Rojek, H. Error in radiation counting, 413*
Rollo, F. D. ^{125}I thyroid uptake, 357*
Rollo, F. D. and Schulz, A. G. Contrast efficiency function for scanning systems, 53
Rollo, F. D. and Schulz, A. G. Pulse-height selection in scanning systems, 357*
Rollo, F. D. See Schulz, A. G.
Rosenweig, D. Y. See Jones, T.
Ross, D. A. Special thyroid uptake methods, 176
Ross, D. A. See Satterfield, M. M.
Ross, G. S. See Bell, E. G.
Rotenberg, A. D. See Usher, M. S.
Roth, E.
See Inkley, S. R.
See Ishii, Y.
See MacIntyre, W. J.
Rothschild, E. O., Preciado-Solis, A., Weber, D. and Powell, M. Parathyroid localization with ^{75}Se-selenomethionine, 358*
Rubenfeld, S. See Lorber, S. A.
Rudd, T. G. and Nelp, W. B. Cerebrospinal fluid circulatory patterns following subarachnoid hemorrhage, 358*
Rudin, S., Bardfeld, P. A. and Hart, H. Magnifying multihole collimators for the gamma-ray camera systems, 640*
Rudin, S. See Bardfeld, P. A.
Russell, M. E. See Lawrence, C. A.
Rutherford, R. See Rhodes, B. A.
Ryan, R. See De Grazia, J. A.
Ryder, L. A. See Burdine, J. A.

Saba, T., Kaplan, E., Graham, L. and Cronell, R. Blood and liver dynamics with lipid emulsion, 640*
Sabiston, D. C. See Jones, R. H.
Sachs, C. E. See Farmelant, M. H.
Saegusa, K. See Arimizu, N.
Saenger, E. L. See Wellman, H. N.
Sagerman, R. H. See Johnson, P. M.
Saha, G. B., Farrer, P. A. and Wexler, M. ^{52}Fe for bone marrow scanning, 640*
Saito, H. Iron-binding capacity of milk, 359*
Samuels, L. D. Functional size of the spleen, 616
Samuels, L. D. and Eagle, M. Kidney scanning in children, 398*
Samuels, L. D. and Eyring, E. J. ^{87m}Sr scans in children's orthopedica disorders, 641*
Samuels, L. D. and Hipple, T. H. Rapid preparation of sterile ^{99m}Tc-S colloid, 182
Samuels, L. D. and Stewart, C. Spleen size in sickle cell anemia, 12
Sanchez, P. D. See Winchell, H. S.
Sanders, T. P.
See Corriere, J. N.
See Kuhl, D. E.
Sandler, M., Bell, E. G., Berg, B. C., Duxbury, C. E. and McAfee, J. G. Renal transplant evaluation using reduced ^{99m}Tc, 359*
Sandler, M.
See Bell, E. G.
See Blaufox, M. D.
Sargent, T. See Chernelch, M.
Sasaki, Y., Wagner, H. N., Christopher, N. L., Bayless, T. M., Iio, M., Aoyagi, T., Kameda, H. and Veda, H. ^{14}C-lactose absorption in lactase deficiency, 360*
Satterfield, M. M., Dyer, G. R., Ross, D. A. and McClain, W. J. Improved medical spectrometer, 158
Sauerbrunn, B. J. L. Evaluation of Squibb ^{99m}Tc-sulfur colloid kit, 399*
Sauerbrunn, B. J. L., Edwards, W., Winters, E., Tucker, C. and West, L. Evaluation of a diverging collimator, 399*
Sauerbrunn, B. J. L. See Hine, G. J.
Schadt, W. W. See Battist, L.
Schaeffer, M. R. See Wellman, H. N.
Schall, G. L., Anderson, L. G., Talal, N. and Zeiger, L. Salivary gland imaging in Sjögren's syndrome, 361*
Schall, G. L., Zeiger, L., Briner, W. and Matsen, F. $^{99m}TcO_4^-$ and ^{99m}Tc albumin brain scanning, 360*
Scheer, K. E. See Schneck, P.
Scheffel, V. See Graber, S. E.
Schnabel, K. See Schneck, P.
Schneck P., Lange, D., Schnabel, K., Amman, W. and Scheer, K. E. Simultaneous double-tracer investigations, 641*
Schofield, M. See Sherman, A. A.
Scholz, K. L. See Sodd, V. J.
Schulz, A. G., Knowles, L. G., Kohlenstein, L. C., Mucci, R. F. and Yates, W. A. Quantitative assessment of scanning-system parameters, 61
Schulz, A. G. and Rollo, F. D. Measuring radioiodine uptake in thyroid, 508
Schulz, A. G.
See Knowles, L. G.
See Kohlenstein, L. C.
See Rollo, F. D.
Scott, A. F. See Mahler, D. J.
Sekso, S. L., Uvelta, G. and Ashkar, F. S. Competitive protein-binding analysis, 414*
Selby, J. B., McCormack, K. R., Greenlaw, R. H. and Layne, S. E. Brain scanning with mercury compounds, 440, 769
Sester, E. L. and Gydesen, F. R. Standardization of a dose calibrator, 414*
Sharma, S. M., Patel, M. C., Ramanathan, P., Ganatra, R. D.

and Blau, M. New technique for denatured red cells, 229
Sharpe, A. R. See Williams, J. P.
Sharrett, T. See Farrer, P. A.
Sheiner, N. See Usher, M. S.
Sheppard, H. See Coppler, M.
Sherman, A. A. Translation of an historic paper, 269
Sherman, A. A., Bardfeld, P. A. and Schofield, M. Plasma ^{57}Co-Vitamin B_{12}, 361*
Sherman, A. A. See Bardfeld, P. A.
Sherry, J. See Coppler, M.
Shinmura, F. See Murayama, H.
Shore, H. H. See Genna, S.
Short, M. D., Glass, H. I. and Vernon, P. Renogram after nephrectomy, 758
Schulman, K. See Bardfeld, P. A.
Siemsen, J. K. Leukemia following cancericidal doses of ^{131}I, 400*
Siemsen, J. K., Telfer, N., Leins, P. A. and Wanyik, G. "Paradoxical" response of hyperactive thyroid to suppression, 400*
Siemsen, J. K. See Waxman, A. D.
Sigel, R. M., Becker, D. V. and Hurley, J. R. Evaluation of spleen size during routine liver imaging, 689
Silverstein, G. E. and Burke, G. Thyroid suppressibility and LATS levels, 400*
Simmons, G. H., Hunkar, D. E. and Kereiakes, J. G. Digital ratemeter system for rectilinear scanning, 610
Simon, A. L. See Ashburn, W. L.
Sinkover, A. See Czerniak, P.
Sisson, W. B., Oldendorf, W. H., and Cassen, B. Liquid scintillation counting, ^{113m}In, ^{3}H and ^{14}C simultaneously, 749
Sisson, W. B. See Oldendorf, W. H.
Slabber, C. F. See van der Merwe, E. J.
Slanger, B. H., Kusubov, N. and Winchell, N. S. Effect of exercise on human CO_2-HCO_3^- kinetics, 711
Slanger, B. H. See Winchell, H. S.
Smith, C. W. See Halpern, S. E.
Smith, R. O., Bennett, K. R., Lehan, P. H. and Hellems, H. K. Myocardial ^{42}K scanning compared with coronary arteriography, 641*
Smith, R. O. and Flowers, W. M. Interfacing the Pho/Gamma camera to a digital computer, 401*
Smith, T. D. See Baker, S. L.
Smitten, L. See Tyson, I. B.
Smoak, W. M. and Gilson, A. J. Visualization of a vascular rim in subdural hematoma, 695
Smoak, W. M.
See Ashburn, E. S.
See Weinstein, M. B.
Sodd, V. J., Blue, J. W., Scholz, K. L. and Anger, R. T. Cyclotron production of ^{128}Cs, 362*
Sokoloff, J. See Corman, L. A.
Solomon, D. H. See Chopra, I.
Som, P. See Hosain, F.
Sonnemaker, R. F. ^{99m}Tc-labeled albumin microspheres for organ perfusion studies, 648*
Sonnemaker, R. E. See Burdine, J. A.
Sorenson, J. A. Quantitative measurements using emission and transmission, 401*
Sorenson, J. Quantitation of radioactive content *in vivo* using combined emission-transmission measurements, 649*
Spar, I. L., Michaelson, S. M., Greenhouse, V. Y. and Yu, P. N. ^{203}Hg-fluorescein, myocardial infarction, 362*
Sparagana, M., Little, A. and Kaplan, E. Thyroid scanning with $^{99m}TcO_4^-$, 224
Spaulding, M. B. See Dibos, P. E.
Spence, B. See Rhodes, B. A.
Spencer, R. P. Functional size of the spleen, 616
Spencer, R. P. Treating hyperthyroidism, 401*
Spencer, R. P. and Banerji, M. A. Preparation of RBC or hemoglobin for liquid scintillation counting, 363*
Spencer, R. P. and Banever, C. Growth of the human liver, 660
Spencer, R. P., Cornelius, E. A. and Kase, N. G. Breast secretion of ^{99m}Tc in the amenorrhea-galactorrhea syndrome, 467
Spencer, R. P. and Johnston, G. S. Healing rate of hepatic amebic abscesses, 452
Spencer, R. P., and Kligerman, M. M. Hepatic function return following tumor irradiation, 140
Spencer, R. P., Lange, R. C. and Treves, S. ^{131}Ba for bone scanning, 95
Spencer, R. P., Pearson, H. A. and Binder, H. J. Asplenia in nonanemic cases, 763
Spencer, R. P., Pearson, H. A., Cornelius, E. A. and Antar, M. A. Liver and spleen scanning in children, 402*
Spencer, R. P., Touloukian, R. J., Cornelius, E. A. and Treves, S. Gut mucosa blood flow, 403*
Spencer R. P., Treves, S., Cornelius, E. A. and Antar, M. A. Radionuclide uptake by the testes, 642*
Spencer, R. P.
See Antar, M. A.
See Freedman, G. S.
See Lange, R. C.
See Nuland, S. B.
See Pearson, H. A.
See Treves, S.
Spjut, H. J. See Burdine, J. A.
Srinivasan, N. V. See Krishnamurthy, G. T.
Staab, E. V., Allen, J. H., Young, B., Meachem, W. A. and Brill, A. B. IHSA cisternography, pneumoencephalography and surgical results, 363*
Staab, E. V.
See Brahmavar, S. M.
See Johnston, R. E.
See McFarland, J.
Stahelin, H. B., Stokstad, E. L. R. and Winchell, H. S. Formate oxidation and incorporation in folic acid deficiency, 247
Stahelin, H. B. See Winchell, H. S.
Stanbury, J. B. Radioisotopes in human experimentation, 586
Stanley, T. See Wagner, M. S.
Stark, V. Placental localization using ^{99m}Tc-albumin, 415*
Staub, R. T. Tumor thrombus of right atrium, 559
Staum, M. M. See Klempfner, G.
Steinhacker, R. See Farrer, P. A.
Steinnes, E. See Danielsen, A.
Sternberg, J. and Gelfand, M. M. Fetal uptake of radiopharmaceuticals, 364*
Sternberg, J. See Prpic, B.
Stewart, C. See Samuels, L. D.
Stokstad, E. L. R. See Stahelin, H. B.
Strange, D. R., Keyes, J. W. and Thomas, F. D. *In vivo* gamma scattering, 642*
Strange, D. R. See Keyes, J. W.
Strauss, B. S. and Blaufox, M. D. Estimation of residual urine and urine flow rates, 81
Strauss, H. W., Hurley, P. J. and Wagner, H. N. Thyroid imaging with $^{99m}TcO_4^-$ and the pinhole camera, 403*
Strauss, H. W., Hurley, P. J., Zaret, B. L., Pitt, B. and Wagner, H. N. Systolic and diastolic cardiac chamber volumes, 364*
Strauss, H. W. See Hurley, P. J.
Subramanian, G. Skeletal imaging with ^{137m}Ba, 649*
Subramanian, G. and McAfee, J. G. Preliminary evaluation of ^{97}Ru, 365*
Subramanian, G. and McAfee, J. G. Stannous oxide colloid for bone marrow imaging, 365*
Subramanian, G.
See Bell, E. G.
See Berg, B. C.
Sugita, B. See Takayanagi, S.
Surprenant, E. L., Wilson, A. F. and Novey, H. S. Ventilation-perfusion in bronchial asthma, 366*
Surprenant, E. L. See Douglas, C. H.
Sutherland, I. See Usher, M. S.
Swinth, K. L. Solid-state detector for plutonium, 403*
Syed, I. B. See Hosain, F.

Takahashi, Y., Akasaka, K., Kariyone, S. and Wakisaka, G. Splenic hemodynamics, 367*
Takanashi, K. See Murayama, H.
Takayanagi, S., Kobayashi, B. T., Sugita, B. and Iio, M. Measurements of gaseous ^{85}Kr by the catheter semiconductor radiation detector, 643*
Talal, N. See Schall, G. L.
Talso, P. J. See Remenchik, A. P.
Tanaka, E., Hiramoto, T. and Nohara, N. Scintillation camera

based on new position arithmetics, 542
Taplin, G. V. President's letter, B. A. Burrows, Editor of *Journal*, 1
Taplin, G. V. President's letter, Trustees' meeting, 99
Taplin, G. V. President's letter, 185
Taplin, G. V. President's letter, 227
Taplin, G. V. President's letter, 421
Taplin, G. V. See Isawa, T.
Tauxe, W. N., Broadbent, J. C. and Thorsen, H. C. Disappearance of iodo-albumin from pericardial sac, 554
Tauxe, W. N. See Hamamoto, K.
Taylor, H. F. and Bonte, F. J. ^{99m}Tc-ferric hydroxide complex as a multipurpose particulate scanning tracer, 367*
Tehranian, N. See Edwards, C. L.
Telfer, N. Sodium pump in chronic obstructive pulmonary disease, 368*
Telfer, N. See Siemsen, J. K.
Thomas, F. D., Keyes, J. W. and Carey, J. E. Quantitative uptake using digital data processing, 404*
Thomas, F. D.
See Keyes, J. W.
See Strange, D. R.
Thomas, P. B. See Weiss, E. R.
Thompson, D. P. See Hayes, M.
Thorsen, H. C. See Tauxe, W. N.
Tieman, J., Gilchrist, J. and Wellman, H. N. Variables in ^{131}Cs myocardial scanning, 36
Tilbury, R. S. See Watson, I. A.
Toren, D. and Powell, M. Automatic production of ^{99m}Tc for pharmaceutical use, 368*
Touloukian, R. J. See Spencer, R. P.
Touya, E., Osorio, A., Touya, J. J., Paez, A., Guelfi, A. G. and Ferari, M. Bilateral cerebrospinal fluid otorrhea, 369*
Touya, J. J. See Touya, E.
Tow, D. E. and Wagner, H. N. Plueral fluid effect on lung scan, 138
Tran, N. Continuous measurement of $^{14}CO_2$ production from amino acids by RBC *in vitro*, 650*
Tran, N., Laplante, M. and LeBel, E. Abnormalities in $^{14}CO_2$ production from dona by RBC in schizophrenia, 643*
Tran, N. Laplante, M. and LeBel, E. $^{14}CO_2$ production from formate by RBC, 644*
Treves, S., Lange, R. C. and Freedman, G. S. Cardiopulmonary hemodynamics, 369*
Treves, S. and Spencer, R. P. Comparison of ^{99m}Tc-DTPA, ^{131}I-Hippuran and ^{125}I-iothalamate, 644*
Treves, S. and Spencer, R. P. Kinetics of micturition, 370*
Treves, S.
See Freedman, G. S.
See Lange, R. C.
See Pearson, H. A.
See Spencer, R. P.
Trow, R. S. See Brown, D. W.
Tsialas, S. P. and Hine, G. J. Collimator characteristics for scanning, 100
Tubis, M. See Krishnamurthy, G. T.
Tucker, C. See Sauerbrunn, B. J. L.
Tuell, S. H. See Larson, S. M.
Tygstrup, N. See Kitani, K.
Tyson, I., Genna, S., Jones, R. L., Bikerman, V. and Burrows, B. A. Potassium depletion studies, 426
Tyson, I. B., Genna, S., Jones, R. L., Bikerman, V. and Burrows, B. A. Total-body potassium, 255
Tyson, I. B., Lim, M. and Smitten, L. Rejection and interfering factors in post-renal transplant patients, 644*
Tyson, I. B. See Kirkham, B. C.
Ueda, H.
See Iio, M.
See Sasaki, Y.
Usher, M. S., Rotenberg, A. D., Harris, E. R., Frank, H. and Sheiner, N. Investigation of pulmonary shunt using IHSA and ^{133}Xe, 370*
Usher, M. S. and Sheiner, N. Detection of lower-limb venous disease, 371*
Usher, M. S., Westerman, B. R., Ammerman, E. G. and Sutherland, I. Long-term effects of indium in rats, 155
Uvelta, G. See Sekso, S. L.
van der Merwe, E. J., Lotter, M. G., van Heerden, P. D. R., Slabber, C. F. and Bester, J. Absorbed dose for ^{113m}In placental scanning, 31
Van Dyke, D. See Yano, Y.
van Heerden, P. D. R. See van der Merwe, E. J.
Van Roekel, G. W. See Chaudhuri, T. K.
van Stekelenburg, L. H. M. and Palsma, D. M. H. Spleen-to-liver ^{198}Au uptake ratio, 179
Varma, V. M., Beierwaltes, W. H., Boyd, C. M. and Lieberman, L. M. Comparison chloroquine analog concentration in malignant melanomas, 9
Varma, V. M.
See Blair, R. J.
See Boyd, C. M.
See Quinones, J. D.
Vernon, P. See Short, M.D.
Victery, W. K. See Cragin, M. D.
Vidyasagar, D. See Klempfner, G.
Vodopick, N. See Goswitz, F. A.
Volpe, J. A., Anger, H. O. and McRae, J. Clinical experience with the multiplane tomographic scanner, 371*
Volpe, J. A., McRae, J. and Johnston, G. S. Transmission scintigraphy in the evaluation of subphrenic abscess, 372*
Wagner, H. N. President's letter, 471, 519
Wagner, H. N., Castronovo, F. P., Anderson, N. D., Chen, J. and Levy, D. Hydrated indium oxide as an immunosuppressant, 404*
Wagner, H. N.
See Castronovo, F. P.
See Cooper, J. F.
See Cooper, M.
See DeLand, F. H.
See Dibos, P. E.
See Hosain, F.
See Hurley, P. J.
See Laleli, Y.
See Rhodes, B. A.
See Sasaki, Y.
See Strauss, H. W.
See Tow, D. E.
See Zolle, I.
Wagner, J. See Webber, M. M.
Wagner, M. S., Bennett, L. R., Kantor, G. and Stanley, T. Renal function changes after percutaneous renal biopsy, 372*
Waight, P. J. Thyroid cancer detected after ^{131}I therapy, 471
Wakisaka, G. See Takahashi, Y.
Waldhausen, J. A. See Klempfner, G.
Walker, S. H. See Brown, D. W.
Walker, W. G. Digitization of images for computer processing, 373*
Walsh, J. R. See Mahler, P. J.
Walton, P. W. Circuit for orientation for Pho/Gamma III, 516
Wang, S. P. Characteristics of image-intensifier scintillation cameras, 373*
Wanyik, G. See Siemsen, J. K.
Watanabe, C. K. See Winchell, H. S.
Watson, I. A. and Tilbury, R. S. Cyclotron production of ^{81}Rb, ^{82m}Rb and ^{127}Cs, 373*
Watts, J. R., Johnston, R. E. and Brill, A. B. Quantitative determination of radioactivity distribution in humans, 374*
Watts, R. S. See Peña, H. G.
Waxman, A. D., Siemsen, J. K. and Leins, P. A. *In vivo* dynamic studies of hepatocyte function, 374*
Waxman, A. D., Siemsen, J. K. and Wright, J. Improvement of Anger camera images by digital techniques, 375*
Webb, R. C. See Webber, M. M.
Webber, C. E. and Garnett, E. S. Sodium retention associated with splenomegaly, 645*
Webber, M. M., Cragin, M. D., Grollman, J. H., Webb, R. C. and Bennett, L. R. Demonstration of thrombophlebitis, 375*
Webber, M. M. and Wagner, J. Vascularity of the femoral head, 376*
Webber, M. M.
See Cragin, M. D.
See Douglas, C. N.
Weber, D. See Rothschild, E. O.
Weinhold, P. A. See Blair, R. J.
Weinstein, M. B. and Ashkar, F. ^{75}Se-selenomethionine concentration in neck masses, 376*
Weinstein, M. B., and Smoak,

W. M. ^{99m}Tc-erythrocyte preparation, 41, 767
Weiss, E. R. See Krishnamurthy, G. T.
Weiss, E. R., Blahd, W. H., Winston, M. A., Hartenbower, D. L., Koppel, M. and Thomas, P. B. Scintillation camera evaluation of renal transplants, 69
Welch, M. J. Indium scanning agents, 470
Welch, M. J. See Hill, T.
Wellman, H. N., Goldsmith, R. E. and Schaeffer, M. R. Autonomous thyroid nodule, 377*
Wellman, H. N. and Saenger, E. L. Special thyroid uptake methods, 178
Wellman, H. N.
See Mack, J. F.
See Tieman, J.
West, L. See Sauerbrunn, B. J. L.
Westerman, B. R.
See Crews, M. C.
See Usher, M. S.
Wexler, M. See Saha, G. B.
Whitaker, R. N. See Larose, J. N.
Wiley, K. See Winchell, H. S.
Wilkinson, R. H. See Harris, C. C.
Willgeroth, F. See Emrich, D.
Williams, C. M.
See Brookeman, V. A.
See Bruno, F. P.
See Fitzgerald, L. T.
Williams, J. L., Cargol, L. H., Pailthorp, K. G. and Nelp, W. B. Neutron activation analysis of total-body phosphorus, 377*, 576
Williams, J. P., Pribram, H. F. S., Lynde, R. H. and Sharpe, A. R. Isotope cisternography to evaluate subarachnoid hemorrhage, 592
Williams, R. J. R. See Goldman, M.
Wilson, A. F. See Surprenant, E. L.
Wilson, C. B. See Handel, S. F.
Wilson, W. J. See Quaife, M. A.
Winchell, H. S. and Landaw, S. A. Low-dose ^{59}Fe kinetics, 181
Winchell, H. S., Sanchez, P. D., Watanabe, C. K., Hollander, L., Anger, H. O., McRae, J., Hayes, R. L. and Edwards, C. L. Visualization of tumors in humans using ^{67}Ga-citrate, 378*, 459
Winchell, H. S., Stahelin, H., Kusubov, N., Slanger, B., Fish, M., Pollycove, M. and Lawrence, J. H. Kinetics of CO_2-HCO_3^- in normal adult males, 706
Winchell, H. S. and Wiley, K. Considerations in analysis of breath $^{14}CO_2$ data, 703
Winchell, H. S.
See Chaudhuri, T. K.
See Chernelch, M.
See Lamb, J.
See Landaw, S. A.
See Myers, W. G.
See Slanger, B. H.
See Stahelin, H. B.
See Winstead, M. B.
Winkler, K. See Kitani, K.
Winstead, M. B., Winchell, H. S., Fawwaz, R. A. and Lawrence, J. H. ^{11}C-carboxylates for organ visualization, 378*
Winston, M. A.
See Krishnamurthy, G. T.
See Weiss, E. R.
Winters, E. See Sauerbrunn, B. J. L.
Wirtanen, G. W. See Kirkham, B. C.
Witt, R. L. See Mack, J. F.
Wolf, A. P.
See Christman, D. R.
See Hayte, R.
Wolff, J. See Damm, D. W.
Woodard, H. Q. See Costeas, A.
Wright, J. See Waxman, A. D.

Yamada, H. See Iio, M.
Yano, Y., McRae, J. and Anger, H. O. Lung function studies using ^{81m}Kr, 674
Yano, Y., Van Dyke, D., Budinger, T. and Anger, H. O. Coronary blood-flow studies with ^{129}Cs, 378*
Yano, Y., Van Dyke, D., Budinger, T. F., Anger, H. O. and Chu, P. Myocardial uptake studies with ^{129}Cs and the scintillation camera, 663
Yates, W. A. See Schulz, A. G.
Yi, C. H. See Dizon, M.
Yin, R. W. See Farrer, P. A.
Young, B. See Staab, E. V.
Yu, P. N. See Spar, I. L.

Zaret, B. L. See Strauss, H. W.
Zeiger, L. Detection of thyroid carcinoma metastasis using whole-body retention of ^{131}I and gamma camera scintiphotography, 650*
Zeiger, L.
See Harbert, J. C.
See Schall, G. L.
Zielinski, J. and Dulock, L. Re-use of the T_3 resin sponge, 415*
Zimmer, L. T. See Hoffer, P. B.
Zolle, I., Hosain, F., Rhodes, B. A. and Wagner, H. N. Albumin, microspheres for study of RES, 379*
zür Mühlen, A. V. See Emrich, D.

1970 SUBJECT INDEX

Asterisk indicates abstract

Absorption
gastrointestinal, Ca, in renal failure, 355*, 413*
gastrointestinal, ^{14}C-lactose in lactase deficiency, 360*
gastrointestinal, ^{59}Fe, in dogs, 25
Adrenal glands
^{14}C and ^{125}I cholesterol analogs, distribution and scanning, in dogs, 302*
^{18}F-cholesterol, preparation for scanning, 217
Renogram after nephrectomy, 758
Albumin, macroaggregated
see Iodine-131, macroaggregated albumin; Technetium-99m
see Technetium-99m
Aldosterone
radioimmunoassay, 646*
Americium-241
soft tissue composition, 395*
Antimony-124
contaminant in ^{99m}Tc generators, 619*
α_1-Antitrypsin
deficiency, ventilation studies, 318*
Arsenic-74
inulin, simultaneous triple isotope RBC, plasma and ECF volumes, 634*
Asparagine
^{14}C-, effect of tumors on oxidation, 597
^{14}C-labeled, effect of tumor on oxidation, in animals, 646*
^{14}C-labeled, metabolism in tumors, 307*
Assay
^{131}I capsule variations, 561
iodide impurity, T_3 and T_4, 165
medical spectrometer, 158
Atropine
$^{99m}TcO_4^-$ uptake by choroid plexus, in rats, 634*
Autofluoroscope
deadtime effects in dynamic studies, 324*
intracardiac blood flow using ^{113m}In, 300*
intracardiac transit times, $^{99m}TcO_4^-$, 625*
pulmonary vascular studies with $^{99m}TcO_4^-$, 315*
quantitative ^{99m}Tc angiocardiograms, 333*
quantitative ventilation-perfusion, in dogs, 332*
^{85}Sr bone, 331*
$^{99m}TcO_4^-$, lung, thromboembolism, 395*
Autoradiography
radionuclides in brain tumor, in mice, 298*
slide holder, 48

Barium-131
bone scanning, 95, 340*
bone scanning, in animals, 328*
decay scheme, parameters for radiation-dose estimation, MIRD pamphlet 6
Barium-135m
for bone imaging, animal distribution, 649*
Bicarbonate
$^{14}CO_2$-$H^{14}CO_3$ kinetics, effects of exercise, 711
$^{14}CO_2$-$H^{14}CO_3$ kinetics, in normals, 706
Bilirubin
constitutional hyperbilirubinemia, ^{131}I-BSP, 632*
Bismuth
fluorescence scanning, 349*
Bladder
^{131}I-Hippuran, residual urine, 408*
^{131}I-Hippuran, residual urine and flow rate, 81
kinetics of micturition, 370*
^{99m}Tc-S colloid tracer in ureterovesical reflux, 311*
ureteral-vesical reflux in children, $^{99m}TcO_4^-$, 621*
Blood
isotope use in human experimentation, 586
platelet survival and sequestration in thrombocytopenic disorders, 647*
radioassay for antibody to leukocytes, 339*
Blood flow
see also, Specific organs
increased nasal activity in carotid artery obstruction, 636*
peripheral, ^{99m}Tc microspheres, 356*
Blood plasma
effect of ClO_4^- on $^{99m}TcO_4^-$ protein binding, 85
iron turnover in normals, 107
Blood volume
^{51}Cr, ^{125}I-HSA, quality control program, 408*
expanded in splenomegaly, Na retention, 645*
simultaneous triple isotope RBC, plasma, ECF volumes, 634*
variants, 410*
Bone
^{131}Ba, scanning, 95
^{135m}Ba, in animals, 328*
^{135m}Ba and ^{131}Ba, scanning, 340*
^{135m}Ba distribution in animals, 649*
^{47}Ca whole-body scanning, 629*
^{18}F exchange with blood, in rabbits, 43
^{18}F, fractures, in rabbits, 313*
^{18}F, reactor production, processing, use, 316*
^{18}F tomography, positron emitter system, in dogs, 347*
^{125}I *in vivo* studies with silicon avalanche diode, 325*
mass, whole-body neutron activation analysis, in cadavers, 624*
^{226}Ra induced lesions, in dogs, 208
^{75}Se selenite, positive tumor agent, 354*
Sr kinetics, in rabbits, 635*
^{85}Sr, autofluoroscope, 331*
^{87m}Sr scanning, in children, 641*
^{87m}Sr, dual isotope subtraction ^{99m}Tc soft tissue, 348*
^{87m}Sr scanning, 406*
^{99m}Tc-S colloid, vascularity of femoral head, 376*
Bone marrow
damage from radiation therapy, 353*
^{59}Fe, erythropoiesis studies, 393*
^{59}Fe and ^{99m}Tc,-FeO colloids, biological fate, in animals, 367*
^{198}Au, computer-camera data processing, 331*
^{198}Au scan in chronic granulocytic leukemia, 629*
RES blocking, 625*
scanning with $^{52}FeCl_3$, in dogs, 640*
^{99m}Tc and ^{113m}In,-Sn oxide colloid, 365*
^{99m}Tc-colloid, post-irradiation imaging, 337*
^{99m}Tc-S colloid, imaging, 315*
^{99m}Tc-S colloid, vascularity of femoral head, 376*
Brain
blocking doses in scans, 769
blood flow, ^{125}I, silicon avalanche diode, 325*
blood flow, $^{99m}TcO_4^-$, 318*, 391*
blood flow, $^{99m}TcO_4^-$ and ^{99m}Tc-S colloid, 388*
blood flow, ^{133}Xe camera, 327*, 338*
^{11}C carboxylic acids, 378*
clinical tomography, 371*
comparison angiography, scanning and image intensifier camera, 333*
comparison of ^{197}Hg-chlormerodrin, $^{99m}TcO_4^-$ and ^{99m}Tc-Fe-DTPA, 324*
^{113m}In-DTPA "kit", 28
^{113m}In preparations for organ visualization, 470
microvascular cerebral shunts with ^{133}Xe, 327*
radionuclides in glioma, in mice, 298*
^{75}Se-selenomethionine uptake, in animals, 637*
subdural hematoma camera, 695
$^{99m}TcO_4^-$ angiography and scanning in stroke, 628*
^{99m}Tc-DTPA, clinical evaluation, 728
^{99m}Tc-Fe-ascorbic acid, clinical evaluation, 301*
$^{99m}TcO_4^-$ and ^{113m}In-DTPA, clinical evaluation, 348*
$^{99m}TcO_4^-$, confidence levels of abnormal scan patterns, 397*
$^{99m}TcO_4^-$, delayed scan for neoplastic lesion distinction, 620*
$^{99m}TcO_4^-$ in choroid plexus, effect of ClO_4^-, iodide, atropine, in rats, 634*
$^{99m}TcO_4^-$ in sarcoma, perchlorate effect, in mice, 443
$^{99m}TcO_4^-$ scan in herpes simplex encephalitis, 608
$^{99m}TcO_4^-$ scan in herpes virus type 1 encephalitis, 548
vertex view, techniques for camera and scanner, $^{99m}TcO_4^-$, 503
^{65}Zn distribution, phenothiazine effect, in animals, 312*
Brain, imaging
comparison $^{99m}TcO_4^-$ and ^{99m}Tc-HSA, 360*
$^{99m}TcO_4^-$, 411*
$^{99m}TcO_4^-$, optimum counting time, 303*
tumor response to chemotherapy, 323*
Brain scanning
blocking dose of stable Hg, 440
comparison rectilinear vertex and transverse section views, 2
delayed scans with $^{99m}TcO_4^-$, 321*
eosinophilic granuloma of skull, 89
Bromine-82
determination cellular pH's, Na and K in chronic lung disease, 368
diagnosis of central nervous system disease, 391*
Cadmium-109
soft tissue composition, 395*
Cadmium-115m
concentration in testes, in animals, 642*
Calcium-45
-chloride, absorbed dose, 468, 768
decay scheme, parameters for radiation-dose estimation, MIRD pamphlet 6
Calcium-47
-chloride, absorbed dose, 468, 768
compared with ^{85m}Sr, ^{85}Sr, ^{87m}Sr, 636*
oral calcium absorption in renal failure, 355*, 413*
whole-body bone scanning, 629*
Calibrator
individual patient doses, 414*
Camera, image-intensifier
comparison with brain scanning and angiography, 333*
Camera, scintillation
based on new position arithmetics, 542
bone marrow post-irradiation, ^{99m}Tc colloid, 337*
brain blood flow, ^{133}Xe, 327*, 338*
brain, vertex view, $^{99m}TcO_4^-$, 503
camera-tape system, $^{99m}TcO_4^-$ thyroid uptake, 325*

cardiac chamber volumes, 364*
circuit for image orientation on oscilloscope, 516
clinical evaluation ^{113m}In DTPA and $^{99m}TcO_4^-$, 348*
compared to scanner, ^{131}I and $^{99m}TcO_4^-$ thyroid, 403*
computer analysis of dynamic studies, 306*
computer analysis of static studies, 306*
computer assisted, quantification of nuclide uptake, 404*
computer-camera system, ^{198}Au, RES, 331*
computer-camera systems, maximum frame rate, 340*
computer-controlled data processing system, 680
computer correction of nonuniform detector response, 622*
computer production of color-coded isocount contour display, 380*
computer system, ^{133}Xe lung studies, 655
deadtime effects in dynamic studies, 324*
determination of minimum digital resolution, 317*
digitization of images, 373*, 375*
diverging collimator, 638*
dual-spectrometer system for multi-gamma nuclides, 221
energy-compliant laminar collimator, 624*
evaluation of diverging collimator, 399*
field uniformity, 334*
^{67}Ga-citrate in tumors, 378* 459
heart blood flow, ^{129}Cs, in animals, 378*
heart blood flow, $^{99m}TcO_4^-$, 369*
heart chamber size, $^{99m}TcO_4^-$, 633*
heart pool, ^{99m}Tc-S colloid, 514
high resolution optical scanner, 634*
image aberrations with a diverging collimator, 622*
image intensifier, 373*
improvements for safety and efficiency, 397*
interfacing to digital computer, 401*
kidney blood flow, $^{99m}TcO_4^-$, 321*
kidney transplant evaluation, 69, 320*
magnifying multihole collimators, 640*
myocardial blood flow, ^{99m}Tc-HSA and ^{133}Xe, in dogs, 302*
myocardial uptake of ^{129}Cs, 663
optical spatial filtering of image, 335*
optimum counting time of ^{131}I-MAA lung and $^{99m}TcO_4^-$ brain, 303*
optimum peaking, 409*
parameters of dynamic function imaging, 345*
patient-picture orientation, 144
photo display calibration method, 626*
^{43}K for myocardium imaging, 310*
pulmonary blood flow in cardiac disease, 338*
qualitative and quantitative double-tracer studies, 642*
quality (of operation) control program, 406*
quantascope, 617*
quantitative effect of linear image-processing on noise, 347*
rotating collimator tomography, 347*
sampling rate, resolution and deconvolution filters, 346*
scanning type, 309*
spleen size estimation, ^{99m}Tc-S colloid, 689
subdural hematoma "rim sign," 695
superior vena cava obstruction and pericardial effusion, 78
system for positron emitters, 347*
system for tomography, 319*
35mm film for image recording, 409*
transmission imaging, ^{99m}Tc, 351*
$^{99m}TcO_4^-$ angiocardiography in mitral valvular disease, 718
thyroid, dynamic $^{99m}TcO_4^-$ studies, 639*
tomography, 647*
TV monitor for flow studies, 396*
ventilation-perfusion, ^{81m}Kr, 674
ventilation-perfusion studies, 320*, 330*
ventilation-perfusion studies with ^{133}Xe, 330*, 344*, 345*
ventilation studies, ^{133}Xe, 410*

Carbon-11
-carboxylates for organ visualization, 378*
cyanide distribution, in dogs, 636*
cyclotron production of $^{11}CN^-$, 339*
decay scheme and parameters for radiation dose estimation, MIRD pamphlet 6
-l-dopamine hydrochloride, preparation, 474
-monoxide, absorbed dose, 468, 768

Carbon-14
amino acids, decarboxylation by RBC, 650*
-asparagine, effect of tumor on oxidation, in animals, 646*
-asparagine, oxidation in tumor bearing humans and animals, 597
^{14}C-UL-L asparagine metabolism in tumors, 307*
$^{14}CO_2$ breath analysis, 703
$^{14}CO_2$-$H^{14}CO_3$ kinetics, effect of exercise, 711
$^{14}CO_2$-$H^{14}CO_3$ kinetics, in normals, 706
-cholesterol, in adrenal glands, in dogs, 302*
decarboxylation of ^{14}C-formate by RBC in folic acid deficiency, in rats, 644
5,5-dimethyl-2,4-oxazolidinedione, intracellular pH in chronic lung disease, 368*
dimethylsulfoxide preparation of erythrocytes for liquid scintillation counting, 363*
-inulin, extracellular fluid volume, 426
in vivo studies of citric acid cycle metabolism, 314*
-lactose, absorption in lactase deficiency, 360*
radioassay for antibody to leukocytes, 339*
RBC decarboxylation of ^{14}C-DL-3,4-dihydroxyphenylalanine in schizophrenia, 634*
simultaneous liquid scintillation counting with ^{113m}In and ^{3}H, 748

Carboxylic acids
^{11}C labeled, organ visualization, 378*

Cardiac
see Heart

Central nervous system
^{82}Br, disease diagnosis, 391*

Cerebral blood flow
see Brain, blood flow

Cerium-144
^{144}Ce-^{144}Pr generator, 340*

Cesium-127
cyclotron production, 373*

Cesium-129
cyclotron production, 362*
cyclotron production, heart blood flow, in animals, 378*
myocardial uptake, camera, 663

Cesium-131
absorbed dose, 468, 768
contaminant in ^{99m}Tc generators, 619*
heart tumor detection, 605
myocardial scanning, phantom, 36

Chelates
body clearance of ^{203}Hg chlormerodrin, 392*
clinical evaluation ^{113m}In DTPA and $^{99m}TcO_4^-$, 348*
comparison ^{99m}Tc-DTPA, ^{131}I Hippuran and ^{125}I-iothalamate for kidney studies, 644*
^{113m}In and ^{99m}Tc, -DTPA, kinetics of micturition, 370*
^{113m}In-DTPA, kidney function, 620*
^{113m}In-DTPA, "kit" for brain agent, 28
^{97}Ru,-EDTA and -DTPA, 365*
^{99m}Tc-DTPA, brain, clinical evaluation, 728
^{99m}Tc-DTPA "kit" preparation, 761
^{99m}Tc-DTPA, renal transplant evaluation, 320*
^{99m}Tc-Fe-DTPA compared to $^{99m}TcO_4^-$ and ^{197}Hg chlormerodrin for brain, 324*
^{169}Yb-Ca-DTPA for cisternography, 328*
^{169}Yb-DTPA for cisternography, 314*

Chlormerodrin
see Mercury-197, chlormerodrin; Mercury-203, chlormerodrin

Chloroquine
^{125}I analogs, in malignant melanoma, in mice, 9
^{125}I analogs, in ocular melanoma, 303*
^{125}I- and ^{131}I- analogs, diagnosis in melanoma, 479
^{131}I analog, β radiation effect on retina, in dogs, 343*

Cholesterol
^{14}C- and ^{125}I-labeled, adrenal scanning, in dogs, 302*

Choroid plexus
$^{99m}TcO_4^-$ concentration, effect of ClO_4, iodide and atropine, in rats, 634*
^{186}Re concentration, in cats, 619*

Chromium-51
absorbed dose, 468, 768
-albumin, Sr kinetics, in rabbits, 635*
alloxantin complex, tumor concentration mechanism, 380*
blood volume, quality control program, 408*
-chloride, gastric emptying rate, 395*
denatured red blood cells, spleen hemodynamics, in rats, 367*
-platelet survival and sequestration in thrombocytopenic disorders, 647*
protein-losing enteropathy, in mice, 311*
-RBC, ACD damaged, spleen scans, 455
-RBC, fecal blood loss, 407*
-RBC, fecal blood loss, ash counting method, 527
-RBC, preparation for spleen, 412*
-RBC, simultaneous triple isotope RBC, plasma and ECF volumes, 634*

Cisternography
^{111}In, 648*
^{111}In-albumin, in dogs, 638*
^{111}In, colloids and transferrin, 346*
^{113m}In-colloid, 369*
^{113}I-IHSA, 299*, 363*
^{113}I-IHSA, dosimetry, 332*
^{113}I-IHSA, spinal cord dosimetry, 534
^{113}I-IHSA, Sturge-Weber syndrome, 551
^{113}I-IHSA, subarachnoid hemorrhage, 592
post-subarachnoid hemorrhage, 358*
^{186}Re concentration in choroid plexus, in cats, 619*
^{99m}Tc albumin and ^{169}Yb-DTPA, 314*
^{99m}Tc-inulin, 299*
^{169}Yb-Ca-DTPA, 328*

Citric acid
^{14}C, *in vivo* studies of metabolism, 314*

Cobalt-57
-B_{12}, absorbed dose, 468, 768
-B_{12}, plasma level, compared to Schilling test, 361*
-B_{12} transfer from mother to fetus, in rats, 322*

Cobalt-58
-B_{12}, absorbed dose, 468, 768
decay scheme, parameters for radiation-dose estimation, MIRD pamphlet 6

Cobalt-60
-B_{12}, absorbed dose, 468, 768
B_{12}, simultaneous absorption study with ^{3}H-folic acid, 569
contaminant in ^{99m}Tc generator, 619*

Collimator
characteristics for scanning, 100
diverging, evaluation, 399*
diverging, for scintillation camera, 638*
diverging, image aberrations, camera, 622*
energy-compliant laminar, for scintillation camera, 624*
multihole magnifying, scintillation camera, 640*
rotating, tomography with camera, 347*
scanner, quantitative liver and spleen studies, 384*
tomography system with scintillation camera, 319*
tomography with a scintillation camera, 602
transmission imaging, ^{99m}Tc, 351*

Colloids
^{113m}In hydroxyapatite for RES, preparation, 356*
^{113m}In ^{59}Fe(OH), retention, in mice, 618*
^{59}Fe and ^{99m}Tc,-FeO colloids biological fate, in animals, 367*
mannitol stabilization, 392*
^{99m}Tc and ^{113m}In,-Sn oxide for bone marrow, 365*
^{99m}Tc-Fe(OH)$_3$ macroaggregates, chemistry and physiology, 313*
^{99m}Tc-Fe(OH)$_3$ for lung, 134
^{99m}Tc-S, PVP stabilized, 175

Computer
analog, scan image processing, 631*
analysis of dynamic camera studies, 306*
analysis of static camera studies, 306*
camera interfacing, 401*
camera system, quantification of nuclide uptake, 404*
camera system, ^{133}Xe lung studies, 655
computation of scanning data, 394*
computer-camera system for cerebral circulation, ^{133}Xe, 338*
computer-camera system, ^{198}Au, RES, 331*
computer-camera system, heart blood flow, 369*
computer-camera system, lung studies, 320*
computer-camera systems, maximum frame rate, 340*
computer-camera system, renal transplants, 320*
computer-camera system, ^{133}Xe lung studies, 344*, 345*
correction of camera nonuniform detector response, 622*
correction of time-constant distortion, 384*
data-processing system, camera, 680
digital, calculation of injection dose, 413*
digital, differential-operator focusing, scanner, 142, 143
digital, with scintillation camera for tomography, 319*
digitization of camera images, 373*, 375*
helical whole-body scanning, 296*
intrarenal transit times distribution, ^{131}I-Hippuran, 305*
linear image-processing, quantitative effect on scan image noise, 347*
microfilm records system, 387*
multiple uses in the laboratory, 203
parameters of dynamic function imaging, 345*
parathyroid localization with ^{75}Se-selenomethionine, 358*
production of color-coded isocount contour display, 380*
sampling rate, resolution and deconvolution filters in digital radioscintigraphy, 346*
scan evaluation system, 337*
scan processing, modified Fourier transformation, 304*
simulation of scanning process, 523
tomography with a scintillation camera system, 602

Contrast efficiency function
spatial resolution characteristics of scanners, 53

Copper
hair and fingernail content, neutron activation analysis, 734

Counter
well-type, quality (of operation) control program, 406*

Counting
type and extent of errors, 413*

Cows
see Generators

Cyclotron
dosimetry of total-body neutron activation analysis, 348*
production of $^{11}CN^-$, 339*, 474
production of ^{129}Cs, 362*, 378*
production ^{67}Ga, 352*
production of ^{52}Fe, 323*
production of ^{81}Rb, ^{82m}Rb and ^{127}Cs, 373*

L-cysteine
body clearance of ^{203}Hg chlormerodrin, 392*

Data processing
camera-computer system, ^{198}Au, RES, 331*
scanning scintillation camera, 309*

Data system
digital cinescintigraphy system, 413*
Detector
catheter semiconductor radiation detector, ^{85}Sr lung, in dogs, 643*
lithium-drifted germanium in scanner, 326*
silicon avalanche diode for *in vivo* low-energy radiation studies, 325*
Si(LI), ^{125}I, thyroid, 342*
solid state, *in vivo* counting of ^{239}Pu, 403*
Dextran
treatment of myocardial infarction, in animals, 388*
Diaphragm
subphrenic abscess, dual-isotope method, 410*
subphrenic abscess, transmission method, 372*
Digital computer
see Computer
Diuretics
effects of water and mannitol on renogram, 186
hydrochlorothiazide effect on insulin secretion, 355*
Dopamine
^{11}C labeled, preparation, 474
Dosimetry
absorbed dose of several isotopes, 468, 768
^{129}Cs absorbed dose estimates, 362*
decay schemes and nuclear parameters, 30 radionuclides, MIRD pamphlet 6
fetus, radiation dose from placenta imaging, in mice, 341*
fetus, ^{113}Sn contamination in ^{113m}In, in rabbits, 344*
^{113m}In for placenta scanning, in baboon, 31
^{131}I-IHSA, cisternography, 332*
^{131}I-IHSA, cisternography, spinal cord, 434
isotope use in human experimentation, 586
microdosimetry of ^{125}I in the thyroid follicle, 300*
skin level dose distribution of $^{99m}TcO_4^-$, 618*
total-body neutron activation analysis, 348*
$^{69m}ZnCl_2$, in animals, 699
Editor's Letter
Journal publication requirements, 521
Electrometer
rubrating reed, $^{14}CO_2$ breath analysis, 703, 706, 711
Erythrocyte
see Red blood cell
Extracellular fluid
simultaneous triple isotope RBC, plasma, ECF volumes, 634*
Extractor
automatic, ^{99m}Tc by methylethylketone system, 368*
Extremities
^{131}I-MAA deposition in axilla, 381*
leg venous disease, $^{99m}TcO_4^-$, ^{99m}Tc-MAA, ^{133}Xe, 371*
thrombophlebitis, ^{131}I-MAA and ^{99m}Tc-S colloid, 375*
Eye
β radiation effect of ^{131}I chloroquine analog on retina, in dogs, 343*
in vivo ^{125}I and ^{32}P studies with silicon avalanche diode, 325*
ocular blood flow with ^{85}Sr microspheres, 319*
Fat malabsorption
post-jejuno-cecal anastomosis, 312*
Fetus
^{57}Co-B_{12} transport from mother, in rats, 322*
dosimetry of ^{113}Sn contamination in ^{113m}In, in rabbits, 344*
^{113m}In placenta scanning dosimetry, in baboon, 31
radiation dose from placental imaging, in mice, 341*
radiopharmaceutical contamination, 364*
Film
camera photo display calibration, 626*
Fluorescence
scanning, bismuth, 349*
Fluorine-18
absorbed dose, 468, 768
bone fractures, in rabbits, 313*
-cholesterol, preparation for adrenal scanning, 217
exchange between blood and bone, in rabbits, 43
-fluorophenylalanine, preparation and distribution in animals, 632*
imaging bone lesions caused by ^{226}Ra, 208
reactor production, processing, use, 316*
skeleton tomography, in dogs, 347*
Folic acid
deficiency, RBC decarboxylation of ^{14}C-formate, in rats, 644*
Gadolinium-153
soft tissue composition, 395*
Gallbladder
^{11}C carboxylic acids, 378*
Gallium
toxicity, in mice, 307*
Gallium-67
-citrate, concentration in tumors, 316*
-citrate, tumor visualization, 459
-citrate, tumor visualization by imaging and tomography, 378*
cyclotron production, 352*
decay scheme, parameters for radiation-dose estimation, MIRD pamphlet 6
tumor localization, in animals, 324*
Gallium-68
-citrate, absorbed dose, 468, 768
decay scheme, parameters for radiation-dose estimation, MIRD pamphlet 6
Gastrointestinal tract
abdominal scanning, $^{99m}TcO_4^-$, 627*
absorption of ^{60}Co-B_{12} and ^{3}H-folic acid, simultaneous studies, 569
absorption of ^{59}Fe, in dogs, 25
calcium absorption in renal failure, 355*, 413*
^{14}C-lactose absorption in lactase deficiency, 360*
^{51}Cr-RBC, fecal blood loss, 407*
^{51}Cr-RBC fecal blood loss, ashing method feces counting, 527
emptying rate, 395*
gastric motility, ^{99m}Tc-albumin microspheres, 648*
gut mucose blood flow, in animals, 403*
perfused isolated, ^{131}I-IHSA and ^{75}Se-selenomethionine kinetics, in rats, 353*
protein losing enteropathy, 311*
secretion of ^{131}I-iodide and $^{99m}TcO_4^-$, in dogs, 634*
^{99m}Tc-albumin microspheres, gastric motility, 617*
Generator
^{144}Ce-^{144}Pr, 340*
^{81}Rb-^{81m}Kr, cardiopulmonary dynamics, 118
^{99m}Tc, radiochemical contaminants, 619*
Glomerular filtration rate
^{113m}In-DTPA, 620*
Glucose
hydrochlorothiazide effect on insulin secretion, 355*
Gold
hair and fingernail content, neutron activation analysis, 734
Gold-195
decay scheme, parameters for radiation-dose estimation, MIRD pamphlet 6
Gold-195m
decay scheme, parameters for radiation-dose estimation, MIRD pamphlet 6
Gold-198
absorbed dose, 468, 768
amebic liver abscesses, 342*, 435
in fetus, 364*
liver defect pattern in schistosomiasis japonica, 329*
liver growth in children, 660

liver, lateral view, 753
liver scans compared with selective arteriography and ^{131}I-MAA scan, 196
liver, spleen, bone marrow scans in chronic granulocytic leukemia, 629*
spleen-to-liver uptake ratio, 179
Gold-199
absorbed dose, 468, 768
decay scheme, parameters for radiation-dose estimation, MIRD pamphlet 6
Heart
blood flow, ^{129}Cs, in animals, 378*
blood flow, ^{113m}In, 300*
blood flow, ^{81m}Kr, 118
blood flow, $^{99m}TcO_4^-$ and ^{99m}Tc-S colloid, 388*
blood flow, $^{99m}TcO_4^-$ and camera, 369*
cardiac output, ^{99m}Tc-HSA angiography, 630*
chamber size, $^{99m}TcO_4^-$, camera, 633*
chamber volumes, ^{99m}Tc-HSA 364*
circulation time, $^{99m}TcO_4^-$, 389*
Dextran treatment of myocardial infarction, in animals, 388*
dynamic studies phantom, 393*
imaging of superior vena cava obstruction and pericardial effusion, 78
intracardiac transit times, $^{99m}TcO_4^-$, autofluoroscope, 625*
intracoronary artery injection ^{131}I and ^{99m}Tc, -MAA, in dogs, 350*
^{131}I-MAA deposition, 381*
myocardial blood flow, ^{99m}Tc-HSA and ^{133}Xe, in dogs, 302*
myocardial imaging, ^{43}K, 310*
myocardial infarction scanning, ^{203}Hg-fluorescein, in dogs, 362*
myocardial perfusion imaging, ^{99m}Tc-MAA, 617*
myocardial scanning, ^{131}Cs, phantom, 36
myocardial uptake of ^{129}Cs, camera, 663
pericardial sac, ^{131}I-IHSA disappearance, in myxedema, 554
^{42}K myocardial scanning compared with coronary arteriography, 641*
pulmonary blood flow in heart disease, ^{131}I-MAA, 338*
quantitative $^{99m}TcO_4^-$ angiocardiograms, 333*
simultaneous cardiac output and renal blood flow, 190
$^{99m}TcO_4^-$ angiocardiography in mitral valvular disease, 718
^{99m}Tc-MAA, computer-controlled camera data processing system, 680
$^{99m}TcO_4^-$, angiography and cine-angiography, 632*
$^{99m}TcO_4^-$ imaging, tumor thrombus right atrium, 559
^{99m}Tc-S colloid, pool imaging, 514
tumor detection, ^{131}Cs, 605
Hippuran
see Iodine-131, Hippuran; Kidney renography
Hormones
choriocarcinoma uptake of ^{125}I antibody to chorionic gonadotrophic hormone, in animals, 354*
Hydrogen-3
see Tritium
-aldosterone, radioimmunassay, 646*
-folic acid, simultaneous absorption study with ^{60}Co-B_{12}, 569
Image
analog image processing, 631*
Imaging
see Camera, scintillation; specific organs
Imaging systems
evaluation using computer generated images, 337*
Indium
chemistry for scanning agents, 470
long-term effects, in rats, 155
-oxide as immunosuppresant, in animals, 404*
toxicity, in mice, 307*
Indium-111
-albumin, cisternography, in dogs, 638*
cisternography, 648*
-colloids and -transferrin, cisternography, 346*
imaging using two peaks, 221
radiopharmaceutical for extended studies, 388*
tumor localization, 328*
Indium-113m
absorbed dose, 468, 768
-albumin aerosol, ventilation-perfusion studies, 330*
-colloid, cisternography, 369*
colloid, effect of pleural fluid on lung image, in pigs, 636*
dual-isotope scanning with ^{99m}Tc, scatter correction, 322*
-DTPA, clinical evaluation with $^{99m}TcO_4^-$, 348*
-DTPA, kidney function, 620*
-DTPA, kinetics of micturation, 370*
-DTPA, "kit" for brain agent, 28
-Fe-colloid, amebic hepatic abscess, 435
-$^{59}Fe(OH)_3$ colloid retention, in mice, 618*
-Fe-hydroxide colloid, dual isotope method for subphrenic abscess, 410*
liquid scintillation counting, 637*
-hydroxyapatite, preparation for RES, in animals, 356*
intracardiac blood flow, 300*
liver blood pool, 344*
placenta imaging, radiation dose to fetus, in mice, 341*
placenta scanning dosimetry, in baboon, 31
placenta scanning, gelatin complex, 15
placental transfer of ^{113}Sn, in rabbits, 344*
simultaneous liquid scintillation counting with ^{3}H and ^{14}C, 749
-Sn-oxide colloid, bone marrow, 365*
Insulin
effect of hydrochlorothiazide on secretion, 355*
immunoassay by neutron activation, 638*
serum levels after jejunal-cecal anastomatosis, 312*
Inulin
^{99m}Tc-labeled, cisternography, 299*
Iodine-123
absorbed dose, 468, 768
thyroid studies with Ge(Li) detector, 176, 178
Iodine-124
decay scheme, parameters for radiation-dose estimation, MIRD pamphlet 6
Iodine-125
absorbed dose, 468, 768
antibody to chorionic gonadotrophic hormone, tumor uptake in animals, 354*
-chloroquine analog, melanoma diagnosis, 479
-chloroquine analogs, malignant melanoma, in mice, 9
-chloroquine analog, ocular melanoma, 303*
-cholesterol, adrenal scanning, in dogs, 302*
-Hippuran, arterial disease and hypermobility of kidney, 389*
-IHSA, quality control program, blood volume, 408*
in vivo studies with silicon avalanche diode, 325*
microdosimetry in the thyroid follicle, 300*
Si(Li) detector, thyroid, 342*
soft tissue composition, 395*
Sudan Orange for lipid studies, 350*
thyroid, organ depth correction method, 357* 508
toluidine blue, distribution, in rats, 726
Iodine-126
decay scheme, parameters for radiation-dose estimation, MIRD pamphlet 6
Iodine-127
cyclotron production of ^{129}Cs, 362*
-inulin, immunoassay by neutron activation, 638*
Iodine-130
decay scheme, parameters for radiation-dose estimation, MIRD pamphlet 6

Iodine-131
absorbed dose, 468, 768
-BSP, diagnosis of constitutional hyperbilirubinemia, 632*
capsule variation, effect on uptake, 561
-chloroquine analog, β radiation effect on retina, in dogs, 343*
-chloroquine analog, melanoma diagnosis, 479
comparison with fluorescent thyroid scanning, 326*
comparison with $^{99m}TcO_4^-$ in thyroid, 307*
distribution functions for multi-dose thyroid therapy, 401*
effect of initial therapy on thyroid, 381*
external measurement of distribution, 374*
iodide impurity and resin uptake of T_3 and T_4, 165
iodide, -rose bengal, -Hippuran, in fetus, 364*
iodide and $^{99m}TcO_4^-$, GI secretion, in dogs, 634*
-lipid emulsion, blood and liver dynamics, in dogs, 640*
post-therapy thyroid cancer development, 46, 471
post-thyroid-therapy leukemia, 400*
quantitative evaluation of pulse-height selection, 357*
-rose bengal, amebic hepatic abscess, 435
-rose bengal, focal radiation effect on liver, 296*
-rose bengal, *in vivo* hepatocyte function, 374*
-rose bengal, liver growth in children, 660
special method for thyroid uptake studies, 176, 178
therapy in Graves' disease, 382*
thyroid carcinoma metastases, whole-body imaging, 650*
thyroid, compared to $^{99m}TcO_4^-$, camera and scanner, 403*
thyroid, comparison ^{125}I, organ depth correction method, 357*
thyroid, false-negative $^{99m}TcO_4^-$ scan, 173
thyroid therapy, induced hyperthyroidism, 630*
thyroid therapy, premedication effect on post-therapy thyroxine level, 618*
thyroid therapy with propanolol, 219, 319*
thyroid uptake, organ depth correction method, 508
thyroid uptake, 20 min, during antithyroid drug treatment, 623*
uptake, new normal ranges, 449
whole-body counting, scatter window method, phantom, 487

Iodine-131, albumin
cisternography, 299*, 363*
cisternography, dosimetry, 332*
cisternography following subarachnoid hemorrhage, 358*
cisternography, spinal cord dosimetry, 534
cisternography, Sturge-Weber syndrome, 551
cisternography, subarachnoid hemorrhage, 592
disappearance from pericardial sac in myxedema, 554
-IHSA, renogram after nephrectomy, 758
joint scanning, 308*
kinetics in perfused isolated GI tract of rats, 353*
-MAA, intracardiac and intravascular deposition, 381*
-MAA, intracoronary artery injection effects, in dogs, 350*
-MAA, liver, compared with selective arteriography and ^{198}Au scans, 196
-MAA, lung, diverging collimator, 399*
-MAA, lung false-positive dual-probe scans, 714
-MAA, lung fissure sign and patient position, 623*
-MAA lung, optimum camera counting time, 303*
-MAA, lung perfusion after unilateral bronchial occlusion, 648*
-MAA, lung perfusion changes from hyperbaric exposure, 346*
-MAA, lung scan "hot spot" due to thrombus, 422
-MAA, lung studies with camera and computer, 320*
-MAA, pulmonary blood flow in cardiac disease, 338*
-MAA, quantitative ventilation-perfusion, in dogs, 332*
-MAA, selective injection of malignant lymphoma, 92
-MAA, thrombophlebitis in legs, 375*
-MAA, ventilation-perfusion studies, 330*
microspheres, preparation for liver, in mice, 379*
pulmonary shunt, 370*
simultaneous cardiac output and renal blood flow, 190
simultaneous triple-isotope RBC, plasma and ECF volumes, 634*

Iodine-131, Hippuran
arterial disease and hypermobility of kidney, 389*
comparison of renogram and pyelogram, 398*
comparison with ^{99m}Tc-DTPA and ^{125}I-iothalamate for kidney studies, 644*
effects of water and mannitol on renogram, 186
estimation residual urine and urine flow rate, 81
in fetus, 364*
intrarenal transit times distribution, computer, 305*
kidney function after percutaneous renal biopsy, in dogs, 372*
kidney transplant evaluation, 69
kidney transplant renography, 628*
renal allografting, in dogs, 390*
renogram, effect of tissue background, 112
renograms in kidney transplants, 644*
renograms in new born infants, 635*
renogram in selection for surgery, arterial stenosis, 738
renography after nephrectomy, 758
simultaneous cardiac output and renal blood flow, 190
urinary bladder residual, 408*

Iodine-132
decay scheme, parameters for radiation-dose estimation, MIRD pamphlet 6

Iron
hydroxide aggregates, mannitol stabilization, 392*
$^{52}FeCl_3$, bone marrow scanning, in dogs, 640*
kinetics in erythropoiesis, 393*
milk binding capacity and transportation, in rats, 359*
plasma iron turnover in normals, 107
toxicity, in mice, 307*

Iron-52
cyclotron production, 323*
decay scheme, parameters for radiation-dose estimation, MIRD pamphlet 6

Iron-55
absorbed dose, 468, 768
decay scheme, parameters for radiation-dose estimation, MIRD pamphlet 6

Iron-59
absorbed dose, 468, 768
absorption from colon, in dogs, 25
^{113m}In $^{59}Fe(OH)_3$ colloid, retention, in mice, 618*
FeO colloids, biological fate, in animals, 367*
kinetics and bone marrow imaging in erythropoiesis, 393*
low-dose kinetics and whole-body scanning, 181
transmission-emission scanning, 401*

Kidney
arterial disease and hypermobility, 389*
blood flow, $^{99m}TcO_4^-$ camera, 321*
blood flow, simultaneous cardiac output, 190
^{11}C carboxylic acids, 378*
changes after percutaneous renal biopsy, in dogs, 372*
comparison ^{99m}Tc-DTPA, ^{131}I-Hippuran and ^{125}I-iothalamate, 644*
Hg blocking dose for brain scans, 440
^{197}Hg, individual function, 125
^{203}Hg chlormerodrin, clearance with chelating agents, 392*
^{203}Hg chlormerodrin, tomography, 371*
microvasculature obstruction by microspheres, in dogs, 298*
oral calcium absorption in renal failure, 355*, 413*
scanning in children, 398*
^{99m}Tc-Fe-ascorbic acid, clinical evaluation, 301*
^{99m}Tc-S colloid for uretorovesical reflux, 311*
transit-time distribution, ^{131}I-Hippuran, computer, 305*

transplant evaluation, scintillation camera, 69
transplant evaluation, ^{99m}Tc-DTPA, camera-computer system, 320*
transplant scanning and renography, 628*
transplant, ^{99m}Tc-Fe-ascorbate complex, 359*

Kidney, glomerular filtration rate
see Glomerular filtration rate

Kidney, renography
allografting, in dogs, 390*
compared with pyelogram, 398*
effect of tissue background, 112
effects of water and mannitol, 186
^{113m}In-DTPA, 620*
^{131}I-Hippuran, new born infants, 635*
^{131}I-Hippuran, transplants, 628*
mobile computer-assisted blood-background subtraction unit, 383*
postnephrectomy, 758
surgery for renal arterial stenosis, 738
transplants, 644*

Kit
commercial ^{99m}Tc-S colloid, evaluation, 399*
^{113m}In-DTPA for brain, 28
serum thyroxine, normal range, 669
^{99m}Tc-DTPA, 761
^{99m}Tc-DTPA, brain, clinical evaluation, 728
^{99m}Tc-Fe-ascorbic acid, clinical evaluation, 301*
^{99m}Tc-S colloid, 182

Krypton-81m
generator, cardiopulmonary dynamics, 118
ventilation-perfusion, camera, 674

Krypton-85
absorbed dose, 468, 768
decay scheme, parameters for radiation-dose estimation, MIRD pamphlet 6
liver blood flow and lipid content, simultaneous use of ^{133}Xe, 335*
ventilation perfusion studies with catheter semiconductor radiation detector, in dogs, 643*

Krypton-85m
decay scheme, parameters for radiation-dose estimation, MIRD pamphlet 6

Laser
optical spatial filtering of scans and images, 335*

Linear accelerator
linac isotope producer, 639*

Lipid
^{131}I-labeled, blood and liver dynamics, in dogs, 640*
studies, ^{125}I Sudan Orange, 350*

Liquid scintillation
counting, dimethylsulfoxide preparation of erythrocytes, 363*
counting, simultaneous, ^{113m}In, ^{3}H and ^{14}C, 749

Liquid scintillation counter
^{113m}In conversion electrons, 637*

Liver
amebic abscess, 342*, 435
amebic abscesses, healing rate, 452
blood flow and lipid content, simultaneous ^{85}Kr and ^{133}Xe, 335*
blood pool, ^{113m}In, 344*
^{11}C carboxylic acids, 378*
combined isotopic and ultrasonic studies, 411*
comparison selective arteriograms, and ^{131}I-MAA and ^{198}Au colloid scans, 196
constitutional hyperbilirubinemia, ^{131}I-BSP, 632*
defect pattern in schistosomiasis japonica, 329*
dynamics with ^{131}I-lipid emulsion, in dogs, 640*
function, focal radiation effect, 296*
function, return after irradiation, 140
^{198}Au, computer-camera data processing, 331*
^{198}Au scan in chronic granulocytic leukemia, 629*
growth, in children, 660
In preparation chemistry, 470
^{113m}In hydroxyapatite, in animals, 356*
intrahepatic biliary duct dilatation, 631*
in vivo hepatocyte function, 374*
^{59}Fe and ^{99m}Tc,-FeO colloids, biological fate, in animals, 367*
^{131}I-IHSA microspheres preparation, in mice, 379*
lateral view, ^{198}Au, 753
major variants in children, 402*
portal hypertension in leukemia, 385*
spleen-to-liver uptake ratio, ^{198}Au, 179
subphrenic abscess, dual-isotope method, 410*
subphrenic abscess, transmission method, 372*
^{99m}Tc-MIA, rapid preparation, 580
$^{99m}TcO_2$ colloid, preparation, 564
^{99m}Tc-S colloid, abdominal trauma, 396*
^{99m}Tc-S colloid, commercial kit evaluation, 399*
^{99m}Tc-S colloid, imaging, 315*
^{99m}Tc-S colloid, tomography, 371*
$^{69m}ZnCl_2$, dosimetry and biological fate, 699

Lung
$^{14}CO_2$ breath analysis, 703, 706, 711
computer-controlled camera data processing, 680
determination of intracellular/extracellular pH, Na and K in chronic disease, 368*
diffuse metastatic pulmonary calcification with ^{85}Sr, 327*
dynamic autofluoroscope studies in thromboembolism, 395*
dynamic studies phantom, 393*
function abnormalities, with camera and computer, 320*
inhalation and perfusion studies with $^{99m}TcO_4^-$, 309*
^{131}I-MAA, fissure sign and patient position, 623*
^{131}I-MAA, optimum counting time with camera, 303*
^{131}I-MAA, scan "hot spot" due to thrombus, 422
^{131}I-MAA, false-positive dual-probe scans, 714
ischemia and inhaled radioaerosols, in dogs, 351*
ischemia due to radiation damage, in mice, 491
^{81m}Kr, dynamic studies, 118
mucociliary clearance of ^{99m}Tc-albumin microspheres, in dogs, 336*
perfusion after unilateral bronchial occlusion, in dogs, 648*
perfusion changes from hyperbaric exposure, 346*
perfusion, ^{99m}Tc-albumin microspheres, 305*
pleural fluid, effect on image, in pigs, 636*
pleural fluid, effect on scan, 138
pulmonary blood flow in cardiac disease, ^{131}I-MAA, 338*
pulmonary emboli, 214
scan correlation with angiography in embolism, 647*
shunt investigation with ^{131}I-IHSA and ^{133}Xe, 370*
^{99m}Tc and ^{59}Fe, -FeO colloids, biological fate, in animals, 367*
^{99m}Tc-Fe(OH)$_3$, chemistry and physiology, 313*
^{99m}Tc-Fe(OH)$_3$, macroaggregated, preparation, 134, 517
^{99m}Tc-MAA, rapid preparation, 580
^{99m}Tc-S colloid, macroaggregated, preparation, 385*
subphrenic abscess, dual-isotope method, 410*
tomography, clinical, 371*
tomography, positron emitter, in dogs, 347*
transmission spirometry, 636*
vascular studies, $^{99m}TcO_4^-$, autofluoroscope, 315*
ventilation-perfusion, ^{81m}Kr, camera, 674
ventilation-perfusion, ^{85}Kr, catheter semiconductor radiation detector, in dogs, 643*
ventilation-perfusion, quantitative, in dogs, 332*
ventilation-perfusion studies in asthma, 366*
ventilation-perfusion, ^{133}Xe, 330*, 344*, 345*, 627*
ventilation-perfusion, ^{133}Xe, automated breathing valve, 625*

ventilation-perfusion studies ^{133}Xe, ^{99m}Tc MAA, ^{131}I-MAA, ^{113m}In- and ^{99m}Tc-albumin aerosols, 330*
ventilation studies in α_1 antitrypsin deficiency, 318*
ventilation, ^{133}Xe, 410*
^{133}Xe, rebreathing method, 383*
^{133}Xe studies, computer camera system, 655
Lymph
node uptake of ^{109}Pd-hematoporphyrin, in dogs, 629*
Lymphoma
^{75}Se-selenomethionine and selective injection of ^{131}I-MAA, 92
Lysate
rapid pyrogen test, 310*
Macroaggregated albumin
see Iodine-131, macroaggregated albumin; Technetium-99m
Manganese
hair and fingernail content, neutron activation analysis, 734
Manganese-52
decay scheme, parameters for radiation-dose estimation, MIRD pamphlet 6
Manganese-52m
decay scheme, parameters for radiation-dose estimation, MIRD pamphlet 6
Mannitol
effect on renogram, 186
stabilization of colloids, 392*
Melanoma
^{125}I- and ^{131}I- chloroquine analogs for diagnosis, 479
^{125}I chloroquine analogs concentration, in mice, 9
ocular, ^{125}I-chloroquine analog, 303*
Mercury-197
absorbed dose, 468, 768
blocking doses in scans, 769
-BMPH complex, tumor uptake, in rats, 317*
individual kidney function, 125
quantitative evaluation of pulse-height selection, 357*
Mercury-197, chlormerodrin
abnormal brain scan in eosinophilic granuloma of skull, 89
brain, comparison with ^{99m}Tc-Fe-DTPA and $^{99m}TcO_4^-$, 324*
brain scan blocking dose, 440
comparison of renogram and pyelogram, 398*
in fetus, 364*
kidney scanning in children, 398*
kidney transplant scanning, 628*
tumor uptake, in rats, 317*
Mercury-203
absorbed dose, 468, 768
-chloride, salyrgan tumor uptake, in rats, 317*
-fluorescein, myocardial infarction scanning, in dogs, 362*
subdural hematoma, camera, 695
Mercury-203, chlormerodrin
brain scan blocking dose, 440
chelating agents and body clearance, 392*
Dextran treatment of myocardial infarction, in animals, 388*
kidney tomography, 371*
tissue background in renal studies, 112
tumor uptake, in rats, 317*
Microaggregated albumin
see Technetium-99m
Microfilm
computer-card records system, 387*
Microspheres
albumin, ^{99m}Tc, gastric motility, 617*, 648*
carbonized, ^{86}Rb and ^{169}Yb, gut mucosa blood flow, in animals, 403*
intracoronary artery injection effects, in dogs, 350*
^{131}I-IHSA, preparation, liver localization in mice, 379*
renal microvasculature obstruction, in dogs, 298*
^{85}Sr labeled, ocular blood flow, 319*
^{99m}Tc, peripheral blood flow, 356*
^{99m}Tc-albumin, lung perfusion studies, 305*
^{99m}Tc-albumin, mucociliary clearance from bronchi, in dogs, 336*
Molybdenum-99
automatic ^{99m}Tc extractor, methylethylketone system, 368*
decay scheme, parameters for radiation-dose estimation, MIRD pamphlet 6
methylethylketone extraction of ^{99m}Tc, 386*
Myocardium
see Heart
Neohydrin
see Mercury-197, chlormerodrin; Mercury-203, chlormerodrin
Neutron activation analysis
fingernails and hair, trace metals, 734
immunoassay of inulin, 638*
whole-body, bone mass, in cadavers, 624*
whole-body, dosimetry, 348*
whole-body for P, in mice, 377*, 576
Niobium-95
contaminant in ^{99m}Tc generators, 619*
Nitrogen-13
decay scheme and parameters for radiation-dose estimation, MIRD pamphlet 6
Oxygen-15
decay scheme, parameters for radiation-dose estimation, MIRD pamphlet 6
Palladium-109
-himatoporphyrin, lumphoid tissue uptake, in dogs, 629*
Pancreas
clinical tomography, 371*
computer-controlled camera data processing, 680
feasibility of imaging, 393*
^{125}I-toluidine blue, distribution in rats, 726
^{75}Se-selenomethionine uptake in brain and pancreas, in animals, 637*
Parathyroid
^{125}I-toluidine blue, distribution in rats, 726
localization with ^{75}Se-selenomethionine, 358*
^{75}Se-selenomethionine scanning for lesions, 631*
PBI
new normal ranges for ^{131}I uptake, 449
Pediatrics
asplenia in sickle cell anemia, 349*
breast secretion of $^{99m}TcO_4^-$, 467
^{131}I-IHSA cisternography, Sturge-Weber syndrome, 551
iron-binding capacity of milk and transportation, in rats, 359*
kidney scanning, 398*
liver growth, 660
optimizing administered dose, 386*
renograms in new born infants, 635*
spleen size in sickle-cell anemia, 616
spleen size in sickle cell anemia, ^{99m}Tc-S colloid, 12
^{87m}Sr bone scanning, 641*
$^{99m}TcO_4^-$ brain scan in herpes virus type 1 encephalitis, 548
ureteral-vesical reflux in children, $^{99m}TcO_4^-$, 621*
variants in liver and spleen studies, 402*
D-penicillamine
body clearance of ^{203}Hg-chlormerodrin, 392*
Perchlorate
effect on $^{99m}TcO_4^-$ distribution, in rabbits, 85
effect on $^{99m}TcO_4^-$ localization in sarcoma, in mice, 443
Phantom
computer simulation of scanning process, 523
dynamic studies, heart and lung, 393*
intercomparison of scintigraphic instruments, 391*

slab-source, lead-foil attenuated, 390*
thyroid, organ depth correction method for uptake, 508
Phenylalanine
^{14}C-DL-3, 4-dihydroxy-, decarboxylation by RBC, in schizophrenia, 643*
^{18}F-labeled, preparation and distribution in animals, 632*
Phosphorous
total-body neutron activation analysis, in mice, 377*
whole-body, neutron activation analysis, in mice, 576
Phosphorous-32
absorbed dose, 468, 768
comparison of poly- and ortho-phosphates for tumor localization, 381*
in vivo studies with silicon avalanche diode, 325*
tumor activity test, 312*
Placenta
$^{57}CoB_{12}$ transfer from mother to fetus, in rats, 322*
imaging, radiation dose to fetus, in mice, 341*
^{113m}In, dosimetry, in baboon, 31
^{113m}In gelatin complex for scanning, 15
localization prior to amniocentesis, 415*
transfer of radiopharmaceuticals to fetus, 364*
transfer of ^{113}Sn contamination of ^{113m}In, in rabbits, 344*
Plasma
see Blood plasma
Plutonium
in vivo detection with silicon avalanche diode, 325*
Plutonium-239
in vivo counting, solid-state detector, 403*
Potassium
^{199m}Tl as K analog for scanning, 333*
Potassium-40
direct measurement of total-body potassium depletion, 426
Potassium-42
-chloride, absorbed dose, 468, 768
myocardial scanning compared with coronary arteriography, 641*
Potassium-43
decay scheme, parameters for radiation-dose estimation, MIRD pamphlet 6
myocardial imaging, 310*
Praseodymium-144
^{144}Ce-^{144}Pr generator, 340*
President's letter
annual meeting, 185
approved Medical Specialty Boards, 471
election B. A. Burrows as editor of *Journal*, 1
report on Society's Trustees meeting, 99
Society status, 421
Society structure, 519
Propanolol
thyroid therapy, with ^{131}I, 219, 319*
Proteins
albumin and globulin metabolism after jejunal cecal anastomatosis, 312*
^{51}Cr, protein losing enteropathy, in mice, 311*
Pulmonary function
see Lungs
Pyrogens
rapid *in vitro* test, 310*
Quality control
^{131}I capsule variations, 561
program for blood volume and $T_{\frac{1}{2}}$, 408*
system for instruments, 406*
Quantascope
preliminary report, 617*
Radiation damage
bone marrow, 353*
bone marrow, ^{99m}Tc colloid imaging, 337*
ischemia of lung, in mice, 491
isotopes in human experimentation, 586
liver, effect of focal radiation, 296*
liver, return of function after irradiation, 140
leukemia following ^{131}I thyroid therapy, 400*
radiation-induced nodular goiters, 496
^{226}Ra-induced bone lesions, 208
Radiation dose
β effect on retina, ^{131}I chloroquine analog, in dogs, 343*
external measurement of ^{131}I distribution, 374*
handling ^{99m}Tc, 408*
handling ^{133}Xe, 352*
optimizing administered dose, 386*
radiopharmaceutical transfer to fetus, 364*
reduction for ^{99m}Tc generator operations, 180
^{75}Se-selenomethionine, long term, 394*
total-body neutron activation analysis, 348*
Radiation dosimetry
see Dosimetry
Radiation therapy
focal radiation effect on liver, 296*
ischemia of lung, following therapy, in mice, 491
radiation-induced nodular goiter, 496
return of liver function after irradiation, 140
Radioautography
see Autoradiography
Radiocardiogram
see Heart
Radiopharmaceuticals
inventory by computer, 203
Radium-226
toxicity, bone lesions, 208
Reactor
^{18}F production, 316*
^{97}Ru for radiopharmaceuticals, 365*
Red blood cell
^{51}Cr and ^{3}H-labeled, denatured, spleen hemodynamics, in rats, 367*
^{51}Cr-labeled, ACD damaged, spleen scans, 455
^{51}Cr-labeled, fecal blood loss, 407*
^{51}Cr-labeled, fecal blood loss, ash method for counting, 527
^{51}Cr-labeled, preparation for spleen studies, 412*
decarboxylation of amino acids, 650*
decarboxylation of ^{14}C-DL-3,4-dihydoroxyphenylalanine in schizophrenia, 643*
decarboxylation of ^{14}C-formate in folic acid deficiency, in rats, 644*
dimethylsulfoxide preparation for ^{14}C liquid scintillation counting, 363*
iron kinetics and bone marrow imaging in erythropoiesis, 393*
sickle cell anemia, asplenia, 349*
simultaneous triple-isotope RBC, plasma and ECF volumes, 634*
^{99m}Tc labeling, 41, 767
^{99m}Tc-labeled, preparation, 627*
^{99m}Tc-labeled, preparation, distribution in mice, 530
Renal, renography
see Kidney, renography
Resolution
camera based on new position arithmetics, 542
filter, scanner, 346*
in digitized camera images, 317*
Reticuloendothelial system
see also specific organs
blocking for bone marrow scanning, 625*
preparation ^{113m}In hydroxyapatite, 356*
Rhenium-188
concentration in choroid plexus, in cats, 619*
Rubidium-81
cyclotron production, 373*
^{81m}Kr generator, cardiopulmonary dynamics, 118
Rubidium-82m
cyclotron production, 373*

Rubidium-84
decay scheme, parameters for radiation-dose estimation, MIRD pamphlet 6
Rubidium-86
concentration in testes, in animals, 642*
microspheres, gut mucosa blood flow, in animals, 403*
Ruthenium-97
preparation, labeling of HSA, DTPA and EDTA, 365*
Salivary glands
imaging with $^{99m}TcO_4^-$, 361*
Scandium-46
contaminant in ^{99m}Tc generator, 619*
Scandium-47
decay scheme, parameters for radiation-dose estimation, MIRD pamphlet 6
Scanner
analog image processing, 631*
brain scan, vertex view, $^{99m}TcO_4^-$, 503
clinical evaluation $^{99m}TcO_4^-$ and ^{113m}In-DTPA, 348*
collimator characteristics, 100
collimator for quantitative liver and spleen studies, 384*
compared to camera, ^{123}I and $^{99m}TcO_4^-$ for thyroid, 403*
comparible films for intermachine comparison, 411*
computer computation of data, 394*
computer-focusing, differential-operator method, 142, 143
contrast efficiency function, spatial resolution, 53
digital ratemeter system, 610
dual-head, quantitative studies, 396*
dual-isotope subtraction soft tissue from bone, 348*
dual-probe, false-positive ^{131}I-MAA lung scans, 714
helical whole body, 296*
lithium-drifted germanium detector, 326*
matrix inversion method of distortion correction, 613
minified scan images, 409*
optical spatial filtering of scan, 335*
quantitative assessment of scanning-system parameters, 61
quantitative effect of linear scan-processing on noise, 347*
quality (of operation) control program, 406*
sampling rate, resolution and deconvolution filters, 346*
Scanning
comparison rectilinear vertex and transverse section views in brain, 2
computer processing, modified Fourier transformations, 304*
computer simulation of scanning process, 523
computer system, 203
correction of time-constant distortion, 384*
line spacing and time smoothing effects, 336*
liver, lateral view, ^{198}Au, 753
mathematical algorithm, real distribution of a sphere, 621*
quantitative evaluation of pulse-height selection, 357*
Schilling test
compared to ^{57}Co-vitamin B_{12} plasma level, 361*
post-jejuno-cecal anastomosis, 312*
Selenium-75
-selenite, positive bone tumor agent, 354*
tumor uptake, in rats, 317*
Selenium-75, selenomethionine
absorbed dose, 468
concentration in testes, in animals, 642*
focal radiation effect on liver, 296*
in fetus, 364*
kinetics in perfused isolated GI tract, in rats, 353*
long-term radiation dose, 394*
malignant lymphoma, 92
neck masses, 376*
pancreas, imaging feasibility, 393*
parathyroid lesions, 631*
parathyroid localization, 358*
uptake in brain and pancreas, in animals, 637*
Semiconductor detector
catheter, ^{85}Kr lung studies, in dogs, 643*
Skin
$^{99m}TcO_4^-$ clearance in psoriasis, 304*
Sodium
hair and fingernail content, neutron activation analysis, 734
Sodium-22
-chloride, absorbed dose, 468, 768
decay scheme, parameters for radiation-dose estimation, MIRD pamphlet 6
Na in chronic lung disease, 368*
Sodium-24
-chloride, absorbed dose, 468, 768
Na retention in splenomegaly, 645*
Sr membrane transport, in rabbits, 635*
Spectrometer
solid state, 158
Spinal cord
dosimetry, ^{131}I-IHSA cisternography, 534
Spleen
asplenia, nonanemic causes, ^{99m}Tc-S colloid, 763
^{51}Cr and ^{3}H labeled denatured RBC, in rats, 367*
^{51}Cr-labeled, ACD damaged RBC, 412*, 455
^{198}Au, computer-camera data processing, 331*
^{198}Au scan in chronic granulocytic leukemia, 629*
^{113m}In preparation for scanning, 470
^{59}Fe- and ^{99m}Tc-FeO colloids, biological fate, in animals, 367*
major variants in children, 402*
normal dimensions, ^{99m}Tc-S colloid, 341*
platelet survival and sequestration in thrombocytopenic disorders, 647*
portal hypertension in leukemia, 385*
size estimation, ^{99m}Tc-S colloid, camera, 689
size in sickle-cell anemia, 616
Na retention in splenomegaly, 645*
spleen-to-liver uptake ratio, ^{198}Au, 179
splenic artery ligation in Hodgkin's disease, 693
^{99m}Tc-RBC, preparation, distribution in mice, 530
^{99m}Tc-S colloid, abdominal trauma, 396*
^{99m}Tc-S colloid, imaging, 315*
^{99m}Tc-S colloid, sickle cell anemia, in children, 12, 349*
Strontium
-carbonate aggregates, mannitol stabilization, 392*
Strontium-85
absorbed dose, 468, 768
bone, autofluoroscope, 331*
compared with ^{83m}Sr, ^{87m}Sr and ^{47}Ca, 636*
diffuse metastatic pulmonary calcification, 327*
microspheres, ocular blood flow, 319*
Strontium-85m
compared with ^{83m}Sr, ^{87m}Sr and ^{47}Ca, 636*
Strontium-87m
absorbed dose, 468, 768
bone scanning, 406*
bone scanning in children, 641*
compared with ^{83m}Sr, ^{87m}Sr and ^{47}Ca, 636*
kinetics, in rabbits, 635*
^{99m}Tc, dual-isotope subtraction of soft tissue from bone, 348*
Sulfur colloid
see Technetium-99m, sulfur colloid
Sulfur-35
-chlorpromazine, distribution in brain, in animals, 312*
decay scheme, parameters for radiation-dose estimation, MIRD pamphlet 6
Technetium-99m
automatic extractor, methylethylketone method, 368*
bone marrow, postirradiation, 337*
dioxide preparation for liver, 564
-DTPA and -$Fe(OH)_3$, absorbed dose, 468, 768
-DTPA, brain, clinical evaluation, 728

-DTPA, compared with ^{131}I-Hippuran and ^{125}I-iothalamate for kidney, 644*
-DTPA, kidney function after percutaneous renal biopsy, in dogs, 372*
-DTPA, kidney transplant evaluation, 320*
-DTPA, kinetics of micturation, 370*
-DTPA, "kit" preparation, 761
dual-isotope scanning with ^{113m}In, scatter correction, 322*
generators, radiochemical contaminant, 619*
inulin, cisternography, 299*
in vivo gamma scattering, 642*
-Fe-ascorbic acid complex, clinical evaluation, 301*
-Fe-ascorbic acid complex, kidney transplants, 359*
-Fe-DTPA complex, compared with $^{99m}TcO_4^-$ and ^{197}Hg-chlormerodrin for brain, 324*
-Fe(OH)$_3$ colloid, pleural fluid effect on lung image, in pigs, 636*
-Fe(OH)$_3$ macroaggregates, chemistry and physiology, 313*
-Fe(OH)$_3$ macroaggregates, preparation, 134, 517
-FeO colloids, biological fate, in animals, 367*
lung studies with camera and computer, 320*
methylethylketone extraction from ^{99}Mo, 386*
microspheres, peripheral blood flow, 356*
quantitative evaluation of pulse-height selection, 357*
radiation exposure from handling, 408*
-RBC, preparation, 41, 627*, 767
-RBC, preparation, distribution in mice, 530
reducing exposure from generator operations, 180
source for bismuth fluorescence scanning, 349*
^{87m}Sr bone, dual-isotope soft tissue subtraction, 348*
^{99m}Tc-S colloid-MAA for lung, preparation, 385*
Sn oxide colloid for bone marrow, 365*
transmission imaging, 351*
transmission spirometry, 626*
transmission studies, sub-phrenic abscess, 372*

Technetium-99m, albumin
aerosol, pulmonary arterial ischemia, in dogs, 351*
aerosol, ventilation-perfusion studies, 330*
cardiac chamber volumes, 364*
cardiac output, angiography, 630*
cisternography, 314*
comparison with $^{99m}TcO_4^-$, brain imaging, 360*
electrolytic complexation, 49, 147, 300*
-HSA and -MAA, absorbed dose, 468
-HSA, -MAA, -MIA, clinical experience, 387*
joint scanning, 308*
-MAA, intracoronary artery injection effects, in dogs, 350*
-MAA, leg venous disease, 371*
-MAA, lung perfusion after unilateral bronchial occlusion, 648*
-MAA, myocardial perfusion imaging, 617*
-MAA and MIA, rapid preparation, 580
-MAA, ventilation-perfusion studies, 330*
microaggregated, comparison brain scanning, angiography and image intensifier camera, 333*
microspheres, gastric motility, 617*, 648*
microspheres, mucociliary clearance from bronchi, in dogs, 336*
microspheres for perfusion studies, 305*
myocardial blood flow, in dogs, 302*
placenta imaging, radiation dose to fetus, in mice, 341*
placenta localization prior to amniocentesis, 415*

Technetium-99m, pertechnetate
abdominal scanning, 627*
absorbed dose, 468, 768
advantages for thyroid studies, 297*
angiocardiography in mitral valvular disease, 718
angiography and scanning in stroke, 628*
brain, blood flow, 391*
brain, cerebral vascular disease, 318*
brain, comparison scanning, angiography and image intensifier camera, 333*
brain, comparison with ^{99m}Tc-HSA, 360*
brain, comparison with ^{99m}Tc-Fe-DTPA and ^{197}Hg-chlormerodrin, 324*
brain, confidence level of abnormal scan patterns, 397*
brain, delayed scans, 321*
brain imaging, 411*
brain, optimum counting time, camera, 303*
brain scan, abnormal in eosinophilic granuloma of skull, 89
brain scan, delayed for neoplastic lesion distinction, 620*
brain scan, *herpes simplex* encephalitis, 608
brain scan in herpes virus type 1 encephalitis, 548
brain scanning, comparison rectilinear vertex and transverse section views, 2
brain tumor response to chemotherapy, 323*
breast secretion, 467
clearance from skin in psoriasis, 304*
clinical evaluation with ^{113m}In-DTPA, 348*
ClO_4^- effect on distribution, in rabbits, 85
ClO_4^- effect on sarcoma localization, in mice, 443
compared with ^{99m}Tc-S colloid for vascular flow studies, 388*
dynamic camera studies of thyroid, 639*
GI secretion, in dogs, 634*
heart, angiography and cine-angiography, 632*
heart blood flow, camera, 369*
heart chamber size, camera, 633*
heart, circulation time, 389*
heart imaging, superior vena cava obstruction and pericardial effusion, 78
heart imaging, tumor thrombus right atrium, 559
heart, quantitative $^{99m}TcO_4^-$ angiocardiograms, 333*
increased nasal activity in carotid artery obstruction, 636*
intracardiac transit time, autofluoroscope, 625*
joint scanning, 308*
kidney blood flow with camera, 321*
kidney transplant evaluation, 69
leg venous disease, 371*
lung, dynamic studies, autofluoroscope, 395*
lung, inhalation and perfusion studies, 309*
lung, quantitative ventilation-perfusion, in dogs, 332*
lung, vascular studies with autofluoroscope, 315*
portal hypertension in leukemia, 385*
radiation dose to fetus from placenta imaging, in mice, 341*
salivary gland imaging, 361*
skin level dose distribution, 618*
subdural hematoma, camera, 695
techniques for vertex view in brain scanning and imaging, 503
thyroid, compared with ^{131}I, 307*
thyroid, compared with ^{131}I, camera and scanner, 403*
thyroid, false-negative scan, 173
thyroid, high uptake in Hashimoto's thyroiditis, 382*
thyroid scanning, 224
thyroid uptake with camera and tape system, 325*
tumor uptake, in rats, 317*
uptake in choroid plexus, effect of ClO_4^-, iodide and atropine, in rats, 634*
ureteral-vesical reflux in children, 631*

Technetium-99m, sulfur colloid
absorbed dose, 468, 768
asplenia in nonanemic cases, 763
bone marrow, damage from radiation therapy, 353*
bone marrow, RES blocking, 625*
evaluation of abdominal trauma, 396*
heart pool imaging, 514
"kit" (commercial) evaluation, 399*
"kit" preparation, 182
liver, amebic abscess, 435

liver and spleen, variants in children, 402*
liver, diverging collimator, 399*
liver, focal radiation effect on function, 296*
liver growth, in children, 660
liver tomography, 371*
mannitol stabilization, 392*
PVP stabilization, 175
RES imaging, 315*
RES with computer-camera system, 331*
spleen, normal dimensions, 341*
spleen size estimation, camera, 689
spleen size in sickle-cell anemia, 616
spleen size in sickle cell anemia, in children, 12
splenic artery ligation in Hodgkin's disease, 693
subphrenic abscess, dual isotope method, 410*
subphrenic abscess, transmission method, 372*
thrombophlebitis in legs, 375*
tracer in ureterovesical reflux, 311*
transmission-emission scanning, 401*
vascular flow studies, compared with $^{99m}TcO_4^-$, 388*
vascularity of femoral head, 376*

Technologist
keeping informed, 412*

Testes
radionuclide concentration, in animals, 642*

Thallium
toxicity, in mice, 307*

Thallium-199
potassium analog for scanning, 333*

Therapy
antithyroid drug, 20 min ^{131}I thyroid uptake, 623*
^{131}I and propanolol for thyroid, 219
^{131}I, effect on thyroid, 381*
^{131}I in Graves' disease, 382*
^{131}I, induced hyperthyroidism, 630*
^{131}I, post-treatment thyroid cancer development, 46
^{131}I thyroid, distribution functions for ultra-dose, 401*
^{131}I thyroid premedication effect on post-therapy serum thyroxine, 618*
leukemia following ^{131}I thyroid therapy, 400*
post-^{131}I therapy cancer, 471

Thymus
uptake of ^{109}Pd-hematoporphyrin, in dogs, 629*

Thyroid
antithyroid premedication effect on post-^{131}I therapy serum thyroxine, 618*
autonomous nodule, 377*
comparisons of ^{131}I and $^{99m}TcO_4^-$, camera and scanner, 403*
fluorescent scanning, 326*
^{125}I, microdosimetry in the follicle, 300*
^{125}I, organ depth correction method, 357*
^{125}I, Si(Li) detector, 342*
^{131}I and propanolol therapy, 219, 319*
^{131}I metastases, whole-body imaging, 650*
^{131}I therapy, effect of premedication on serum thyroxine, 618*
^{131}I therapy, Graves' disease, 382*
^{131}I therapy, induced hyperthyroidism, 630*
^{131}I therapy, initial dose effect, 381*
^{131}I therapy, multi-dose, distribution functions, 401*
isotope use in human experimentation, 586
nonsuppresibility and serum LATS, 400*
post-^{131}I therapy cancer, 46, 471
radiation-induced nodular goiters, 496
reuse of T_3 resin sponge, 415*
scan, $^{99m}TcO_4^-$, false-negative, 173
scanning, $^{99m}TcO_4^-$, 224
^{75}Se-selenomethionine in neck masses, 376*
serum thyroxine in thyroid storm, 297*
serum thyroxine, normal range by commercial kit, 669
$^{99m}TcO_4^-$, dynamic camera studies of thyroid, 639*
uptake, comparison ^{131}I and $^{99m}TcO_4^-$, 297*, 307*
uptake increase after T_3 therapy for hyperactivity, 400*
uptake, ^{123}I and ^{131}I, special methods, 176, 178
uptake, ^{131}I capsule variations, 561
uptake ^{131}I, new normal ranges, 449
uptake, ^{131}I, 20 min during antithyroid drug treatment, 623*
uptake, organ depth correction method, 508
uptake $^{99m}TcO_4^-$, camera-tape system, 325*
uptake, $^{99m}TcO_4^-$, elevated in Hashimoto's thyroiditis, 382*
uptake, T_4 resin strip evaluation, 407*

Thyroxine
effects of overnight refrigeration of serum thyroxine, 414*
iodide impurity and resin uptake, 165
new normal ranges for ^{131}I uptake, 449
serum level, post ^{131}I-therapy, effect of antithyroid premedication, 618*
serum thyroxine in thyroid storm, 297*
serum thyroxine normal range, commercial kit, 669
T_4 resin strip uptake evaluation, 407*

Tin-113
decay scheme, parameters for radiation-dose estimation, MIRD pamphlet 6
dosimetry in fetus, ^{113m}In column breakthrough, in rabbits, 344*

Tin-119m
Sn-oxide colloid, long-term biological fate, 365*

Toluidine blue
^{125}I-, distribution in rats, 726

Tomography
bismuth fluorescence scanning, 349*
clinical liver, kidney, brain, lung, and pancreas, 371*
^{67}Ga-citrate in tumors, 378*, 459
positron emitter system, in dogs, 347*
rotating collimator and camera, 347*
scintillation camera, 602, 647*
scintillation camera system, 319*

Toxicity
^{113m}In $^{59}Fe(OH)_3$ colloid retention, in mice, 618*

Toxicology
indium, long-term effects, in rats, 155
indium oxide as immunosuppresant, in animals, 404*
in vitro pyrogen test, 310*
ionic and colloidal In, Ga, Tl, Fe, in mice, 307*
^{220}Ra induced bone lesions, 208

Training
computer assisted, 203
-emission method for quantitation of *in vivo* content, 649*
requirements for nuclear medicine specialty, 471
technologist, keeping informed, 412*

Transmission
imaging, ^{99m}Tc, optimizing, 351*
scanning, combined with emission scanning, 401*
spirometry, 626*
subphrenic abscess, 372*

Tritium
^3H_2O, absorbed dose, total body, 468, 768
^3H_2O, allular pH's, Na and K in chronic lung disease, 368*
-RBC, denatured, spleen hemodynamics, in rats, 367*
simultaneous liquid scintillation counting with ^{113m}In and ^{14}C, 749
total-body water, 426

Tumor
brain, radionuclides in glioma, in mice, 298*
choriocarcinoma uptake of ^{125}I antibody to chorionic gonadotrophic hormone, in animals, 354*
comparison of localization of poly- and ortho-phosphates, 381*
concentration mechanism of ^{51}Cr-alloxantin, 380*
effect on oxidation of ^{14}C-UL-L asparagine, 597

effect on oxidation of ^{14}C-UL-L-asparagine, in animals, 646*
^{67}Ga-citrate concentration, 316*, 459
^{67}Ga-citrate visualization, 378*
^{67}Ga localization, in animals, 324*
^{111}In localization, 328*
^{32}P tumor activity test, 312*
sarcoma, ClO_4^- effect on $^{99m}TcO_4^-$ localization, in mice, 443
^{75}Se-selenite, positive bone tumor agent, 354*
uptake of eight radioactive compounds, in rats, 317*

TV
monitor, camera flow studies, 396*

T-3
increased hyperthyroid uptake after T_3, 400*
iodide impurity and resin uptake, 165
new normal ranges for ^{131}I uptake, 449
quality control program, 408*
reuse of resin sponge, 415*
thyroid nonsuppresibility and LATS, 400*

T-4
see Thyroxine

Vibrating-Reed electrometer
$^{14}CO_2$ from decarboxylation of amino acids by RBC *in vitro*, 643*, 644*, 650*

Vitamin B_{12}
^{57}Co-labeled, compared to Schilling test, 361*
^{57}Co-labeled, transfer to fetus, in rats, 322*
^{57}Co-, ^{58}Co-, ^{60}Co-labeled, absorbed dose, 468, 768
^{60}Co-, simultaneous absorption with ^{3}H-folic acid, 569

Whole-body
clearance of ^{203}Hg-chlormerodrin with chelating agents, 392*
counter, ^{47}Ca bone, 629*
counter, 4π plastic scintillator, 19
counting, ^{131}I scatter window method, phantom, 487
imaging for thyroid carcinoma metastases, ^{131}I, 650*
imaging, ^{67}Ga-citrate for tumors, 378*
neutron activation analysis, bone mass, in cadavers, 624*
neutron activation analysis for P, in mice, 377*
neutron activation analysis, in mice, 576
K depletion by direct measurement, 426
scanning, computerized helical, 296*
scanning, ^{67}Ga-citrate for tumors, 459
scanning, low dose ^{59}Fe, 181

Xenon-133
absorbed dose, 468, 768
brain blood flow, camera-computer system, 327*, 338*
brain, microvascular cerebral shunts, 327*
decay scheme, parameters for radiation-dose estimation, MIRD pamphlet 6
handling and dosimetry, 352*
liver blood flow and lipid content, with simultaneous use of ^{85}Kr, 335*
lung, arterial ischemia, in dogs, 351*
lung, pulmonary shunt, 370*
lung, quantitative ventilation-perfusion, in dogs, 332*
lung studies, computer-camera system, 655
lung ventilation perfusion, 627*
lung ventilation-perfusion, automated breathing valve, 625*
lung ventilation, perfusion, circulation time, 320*
lung, ventilation-perfusion, in asthma, 366*
lung ventilation perfusion, rebreathing method, 383*
lung, ventilation-perfusion studies, 330*
lung, ventilation-perfusion studies of bullores lesions, 345*
lung, ventilation-perfusion studies with computer-camera system, 344*, 345*
lung ventilation studies, 410*
lung, ventilation studies in α_1-antitrypsin deficiency, 318*
muscle flow studies in legs, 371*
myocardial blood flow, in dogs, 302*
portal hypertension in leukemia, 385*

Ytterbium-169
-Ca-DTPA complex, cisternography, 328*
-DTPA complex, cisternography, 314*
microspheres, gut mucosa blood flow, in animals, 403*

Zinc
hair and fingernail content, neutron activation analysis, 734

Zinc-65
decay scheme, parameters for radiation-dose estimation, MIRD pamphlet 6
phenothiazine effect on brain distribution, in animals, 312*

Zinc-69m
chloride, dosimetry and biological fate, 699

INDEX TO ADVERTISERS

Abbott Laboratories
North Chicago, Ill. ..... Cover, i, vii, xxxiii, xxxxi, xxxxii, xxxxiii, xxxxiv, xxxxv, xxxxvi
Amersham/Searle
Des Plaines, Ill. ..... xxviii, xxxv
Baird Atomic
Bedford, Mass. ..... xxxxviii, IBC
Elscint, Ltd.
Haifa, Israel xvi
Intertechnique Instruments
Dover, N.J. ..... xxxvii, xxxviii, xxxix, xxxx
Isolab, Inc.
Elkhart, Ind. 771
Mallinckrodt/Nuclear
St. Louis, Mo. ..... viii, ix
New England Nuclear
Boston, Mass. ii
Nuclear Associates
Westbury, N.Y. xxix
Nuclear Chicago
Des Plaines, Ill. ..... x, xi, BC
Nuclear Medical Systems
Roslyn Heights, N.Y. xxxxvii
Ohio-Nuclear
Mentor, Ohio 798
PGL—Instruments & Services for Medicine
San Francisco, Calif. .... xiii, xxvi, xxvii, xxxvi
Picker Nuclear
North Haven, Conn. ..... xiv, xv, xvii, xviii, xxxiv
Radx Corporation
Houston, Tex. xii
Raytheon
Waltham, Mass. .... iv, xix, xx, xxi, xxii, xxiii
Southwestern Chapter, SNM
Houston, Tex. xxiii
Squibb, E. R. & Sons
New Brunswick, N.J. ..... xxiv, xxv, xxx, xxxi, xxxii